

FILE NOTATIONS

Entered in NID File ☒

Entered On S R Sheet ☒

Location Map Pinned ☒

Card Indexed ☒

IWR for State or Fee Land ☒

Checked by Chief ☒

Copy NID to Field Office ☒

Approval Letter ☒

Disapproval Letter ☒

COMPLETING DATA

Date Well Completed 5-11-59

OW ☒ W ☐ TA ☐

GW ☐ OS ☐ PA ☐

Location ☐

Bond ☐

State or Fee Land ☐

LOGS FILED

Driller's Log 6-30-59

Electric Logs (No. 1) ☒

E ☐ I ☐ E-I ☒

GR ☐ GR-N ☒ Micro ☒

Lat ☐ Mi-L ☐ Sonic ☐ Others ☐

Scout Report sent out ☒

Noted in the NID File ☒

Location map pinned ☒

Approval or Disapproval Letter ☒

Date Completed P. & A. or operations suspended ☒

Pin changed on location map ☐

Affidavit and Record of A & P ☐

Water Shut-Off Test ☐

Gas-Oil Ratio Test ☐

Well Log Filed ☒

5-11-59

			0

(SUBMIT IN TRIPLICATE)

Land Office NavajoContract No. 1-149-Ind-8835

Lease No. _____

Unit _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Lease No. 146026

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Navajo Federal Unit No. 7 Fort Worth, Texas, March 18, 1959.

Well No. 1 is located 1820 ft. from N line and 820 ft. from E line of sec. 7SE/4 NE/4 Sec. 7 40-South 24-East SLM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)Aneth

(Field)

San Juan

(County or Subdivision)

Utah

(State or Territory)

The elevation of the derrick floor above sea level is 5021 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

OBJECTIVE FORMATION	SIZE CASING	CASING PROGRAM (Approx.)
Top of Aneth 5950'	8-5/8" (1500') 24.0# New	Set at 1500' Cement 1000 sx.
	5-1/2" (5500') 14.0# New	
	5-1/2" (650') 15.5# New	6150' 500 sx.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE TEXAS COMPANYAddress P. O. Box 1720
Fort Worth, Texas

THE TEXAS COMPANY

By

J. J. Velten

Title Division Civil Engineer

amm

R-24-E

Federal
Skelly Lse.

Federal
Skelly Lse.

SEC. 6

SEC. 5

SEC. 7

SEC. 8

Ismay

Gulf Lse.


Navajo Federal Unit # 7

The Texas Co. Lse.
Tot. 80 Ac.

Ismay

Gulf Lse.

T
40
S



1320'

820'

5021 El.

71.87 Ac.

8.13 Ac.

West Boundary Line Navajo Indian Reservation

Navajo Tribe "E"

The Texas Co. Lse.

Navajo Federal Unit # 6

The Texas Co. Lse.

Navajo Federal Unit # 5

The Texas Co. Lse.

SAN JUAN COUNTY, UTAH

Scale 1" = 500'

This is to certify that the courses, distances and objects reflected on the plat to which this certificate is affixed were observed and compiled under my supervision and, according to my best knowledge and belief are true and correct.

R. J. Petru
Division Civil Engineer
The Texas Company

Registered Professional Engineer- State of
Texas

March 23, 1959

The Texas Company
P. O. Box 1720
Fort Worth, Texas

Attention: J. J. Velten,
Division Civil Engineer

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Navajo Federal Unit 7-1, which is to be located 1820 feet from the north line and 820 feet from the east line of Section 7, Township 40 South, Range 24 East, SLEM, San Juan County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well is not spudded in within said period.


Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
EXECUTIVE SECRETARY

CBF:co

cc: Phil T. Mcgrath, Dist. Eng.
U. S. Geological Survey
Farmington, New Mexico



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Navajo**

Lease No. _____

Unit **SL-067807**

Communitized with I-149-IND-8835

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	XX
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Navajo-Federal Unit No. 7

June 17, 1959

Well No. **1** is located **1820** ft. from **N** line and **820** ft. from **E** line of sec. **7**

NE 1/4 of Sec. 7
(1/4 Sec. and Sec. No.)

40-S 24-E
(Twp.)

(Range)

SLM
(Meridian)

Aneth

(Field)

San Juan

(County or Subdivision)

Utah

(State or Territory)

The elevation of the derrick floor above sea level is **5021** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded 5:00 P.M., April 15, 1959.

Drilled 17-1/4" hole to 101' and cemented 90' of 13-3/8" O.D. casing at 101' with 150 sacks of cement. Cement circulated.

Drilled 11" hole to 1500' and cemented 1490' of 8-5/8" O.D. casing at 1500' with 1000 sacks of cement. Cement circulated. Tested casing with 800# pressure for 30 minutes. Tested OK.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **TEXACO Inc.**


Address **Box 817**

Farmington, New Mexico

By

Title

Asst. Dist. Supt.



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Navajo
Lease No. SL-067807
Unit Communitized with T-149-110-8835

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	XX
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Navajo-Federal Unit No. 7

June 26, 19 59

Well No. 1 is located 1820 ft. from N line and 820 ft. from E line of sec. 7

NE 1/4 of Section 7 (1/4 Sec. and Sec. No.)
40-S (Twp.) 24-E (Range) SLM (Meridian)
Aneth (Field) San Juan (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is 5021 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drilled 6-3/4" hole to 5985' and cemented 5975' of 4-1/2" O.D. casing at 5985' with 250 sacks of cement. Top of cement 4600'. Tested casing with 1000# pressure for 30 minutes. Tested OK.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company TEXACO Inc.

Address Box 817

Farmington, New Mexico

By C. H. McLeod

Title Asst. Dist. Supt.



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Navajo

Lease No. SL-067207

Communitized with 1-149-140-6035

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	XX
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Navajo-Federal Unit No. 7

June 26, 19 59

Well No. 1 is located 1820 ft. from N line and 320 ft. from E line of sec. 7

NE 1/4 of Sec. 7 (1/4 Sec. and Sec. No.) 40-S (Twp.) 24-E (Range) SLM (Meridian)
Anoeth (Field) San Juan (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is 5021 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Total depth 5965'. Plugged back depth 5975'.

Perforated 4-1/2" casing from 5942' to 5947' and 5956' to 5966' with 4 jet shots per foot. Acidized perforations with 3000 gallons of regular 15% acid.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company TEXACO Inc.

Address Box 817

Farmington, New Mexico

By C. H. McNeil

Title Asst. Dist. Supt.

U. S. LAND OFFICE Navajo

SERIAL NUMBER SL-967897

Communitized with 1-149-IND-8835

LEASE OR PERMIT TO PROSPECT

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

LOCATE WELL CORRECTLY

Company TEXACO Inc. Address Box 817, Farmington, N. M.
Lessor or Tract NavaJo-Federal Unit #7 Field Aneth State Utah
Well No. 1 Sec. 7 T. 40-S R. 24-E Meridian SLM County San Juan
Location 1820 ft. N. of N. Line and 820 ft. W. of E. Line of Section 7 Elevation 5021
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed

Date June 30, 1959

Title Asst. Dist. Sup't.

The summary on this page is for the condition of the well at above date.

Commenced drilling April 15, 1959 Finished drilling May 6, 1959

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from 5942' to 5966' No. 4, from _____ to _____

No. 2, from _____ to _____ No. 5, from _____ to _____

No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from None to _____ No. 3, from _____ to _____

No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

[illegible]

MUDDING AND CEMENTING RECORD

	Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
MARK	13-3/8	101	150	Halliburton		
	8-5/8	1500	1000	Halliburton		
	4-1/2	5975	250	Halliburton		

PLUGS AND ADAPTERS

Heaving plug—Material None Length — Depth set —

Adapters—Material—None—Size—

SHOOTING RECORD

PLUGS AND ADAPTERS

Heaving plug—Material None Length 00.00 Depth set 00

Adapters—Material None Size ---

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
None						

TOOLS USED

Rotary tools were used from 0 feet to 5985 feet, and from feet to feet.

Cable tools were used from None feet to 0 feet, and from 0 feet to 0 feet.

DATES

-----, 19----- Put to producing ----- Tested May 11-----, 1950-----

The production for the first 24 hours was 360 barrels of fluid of which ⁽¹⁶⁾86% was oil; ---% emulsion; ⁽¹⁶⁾14% water; and ---% sediment. Gravity, °Bé. 41°

If gas well, cu. ft. per 24 hours ----- Gallons gasoline per 1,000 cu. ft. of gas -----

Rock pressure, lbs. per sq. in. -----

EMPLOYEES

-----Glenn Mitcham-----, Driller

_____ A. H. Davenport _____, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
0	105	105	Sand & Rock
105	562	457	Shale, Sand & Anhydrite
562	1014	452	Shale & Anhydrite
1014	2007	993	Sand & Red Bed
2007	2490	483	Shale & Sand
2490	2867	377	Shale, Sand & Anhydrite
2867	2931	64	Shale
2931	3397	466	Shale & Sand
3397	4248	851	Shale & Anhydrite
4248	4468	220	Shale
4468	4607	139	Shale & Lime
4607	4830	223	Shale
4830	5985	1155	Lime & Shale
Total Depth	5985'		
Plugged Back Depth	5975'		
LEW—	LO—	LOLVY KEEL	LOEVVJION

[OVER]

FORMATION RECORD—Continued

16-43084-4

JUL 6 1959

707 e 1020

FORMATION TOPS

[illegible]

Formation tops as per EL

HOLE SIZE

Page 0 to 101-17-1/4"

101' to 1500' - 11"

1500' to 5985' - 6-3/4"

... ..

...and the ...

100 100

All measurements from derrick floor, 10' above ground.

EMPLOYEES

Rock blessme' jrs. bel ad. m.

Il s'agit bien, en fait, de la même chose.

Exports Exports per 1'000 of pop. of 1928

1. <u>DESCRIPTION:</u>	2. <u>MATERIAL:</u>	3. <u>QUANTITY:</u>
------------------------	---------------------	---------------------

CLASIFICA' OBRAS - 757

The Bloggation for the week of 31 people was

parties of Union of Africa 1870-1871

Իսկ քո ինքնությունը

DATA

Copy tools were used from

1669 40

1666¹ 8110 11011

1969 10

1992

Boat's ropes were used from

1964 89

1998¹ 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2054 2055 2056 2057 2058 2059 2060 2061 2062 2063 2064 2065 2066 2067 2068 2069 2070 2071 2072 2073 2074 2075 2076 2077 2078 2079 2080 2081 2082 2083 2084 2085 2086 2087 2088 2089 2090 2091 2092 2093 2094 2095 2096 2097 2098 2099 2100 2101 2102 2103 2104 2105 2106 2107 2108 2109 2110 2111 2112 2113 2114 2115 2116 2117 2118 2119 2120 2121 2122 2123 2124 2125 2126 2127 2128 2129 2130 2131 2132 2133 2134 2135 2136 2137 2138 2139 2140 2141 2142 2143 2144 2145 2146 2147 2148 2149 2150 2151 2152 2153 2154 2155 2156 2157 2158 2159 2160 2161 2162 2163 2164 2165 2166 2167 2168 2169 2170 2171 2172 2173 2174 2175 2176 2177 2178 2179 2180 2181 2182 2183 2184 2185 2186 2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 2201 2202 2203 2204 2205 2206 2207 2208 2209 2210 2211 2212 2213 2214 2215 2216 2217 2218 2219 2220 2221 2222 2223 2224 2225 2226 2227 2228 2229 2230 2231 2232 2233 2234 2235 2236 2237 2238 2239 2240 2241 2242 2243 2244 2245 2246 2247 2248 2249 2250 2251 2252 2253 2254 2255 2256 2257 2258 2259 2260 2261 2262 2263 2264 2265 2266 2267 2268 2269 2270 2271 2272 2273 2274 2275 2276 2277 2278 2279 2280 2281 2282 2283 2284 2285 2286 2287 2288 2289 2290 2291 2292 2293 2294 2295 2296 2297 2298 2299 2300 2301 2302 2303 2304 2305 2306 2307 2308 2309 2310 2311 2312 2313 2314 2315 2316 2317 2318 2319 2320 2321 2322 2323 2324 2325 2326 2327 2328 2329 2330 2331 2332 2333 2334 2335 2336 2337 2338 2339 2340 2341 2342 2343 2344 2345 2346 2347 2348 2349 2350 2351 2352 2353 2354 2355 2356 2357 2358 2359 2360 2361 2362 2363 2364 2365 2366 2367 2368 2369 2370 2371 2372 2373 2374 2375 2376 2377 2378 2379 2380 2381 2382 2383 2384 2385 2386 2387 2388 2389 2390 2391 2392 2393 2394 2395 2396 2397 2398 2399 2400 2401 2402 2403 2404 2405 2406 2407 2408 2409 2410 2411 2412 2413 2414 2415 2416 2417 2418 2419 2420 2421 2422 2423 2424 2425 2426 2427 2428 2429 2430 2431 2432 2433 2434 2435 2436 2437 2438 2439 2440 2441 2442 2443 2444 2445 2446 2447 2448 2449 2450 2451 2452 2453 2454 2455 2456 2457 2458 2459 2460 2461 2462 2463 2464 2465 2466 2467 2468 2469 2470 2471 2472 2473 2474 2475 2476 2477 2478 2479 2480 2481 2482 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497 2498 2499 2500 2501 2502 2503 2504 2505 2506 2507 2508 2509 2510 2511 2512 2513 2514 2515 2516 2517 2518 2519 2520 2521 2522 2523 2524 2525 2526 2527 2528 2529 2530 2531 2532 2533 2534 2535 2536 2537 2538 2539 2540 2541 2542 2543 2544 2545 2546 2547 2548 2549 2550 2551 2552 2553 2554 2555 2556 2557 2558 2559 2560 2561 2562 2563 2564 2565 2566 2567 2568 2569 2570 2571 2572 2573 2574 2575 2576 2577 2578 2579 2580 2581 2582 2583 2584 2585 2586 2587 2588 2589 2590 2591 2592 2593 2594 2595 2596 2597 2598 2599 2600 2601 2602 2603 2604 2605 2606 2607 2608 2609 2610 2611 2612 2613 2614 2615 2616 2617 2618 2619 2620 2621 2622 2623 2624 2625 2626 2627 2628 2629 2630 2631 2632 2633 2634 2635 2636 2637 2638 2639 2640 2641 2642 2643 2644 2645 2646 2647 2648 2649 2650 2651 2652 2653 2654 2655 2656 2657 2658 2659 2660 2661 2662 2663 2664 2665 2666 2667 2668 2669 2670 2671 2672 2673 2674 2675 2676 2677 2678 2679 2680 2681 2682 2683 2684 2685 2686 2687 2688 2689 2690 2691 2692 2693 2694 2695 2696 2697 2698 2699 2700 2701 2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713 2714 2715 2716 2717 2718 2719 2720 2721 2722 2723 2724 2725 2726 2727 2728 2729 2730 2731 2732 2733 2734 2735 2736 2737 2738 2739 2740 2741 2742 2743 2744 2745 2746 2747 2748 2749 2750 2751 2752 2753 2754 2755 2756 2757 2758 2759 2760 2761 2762 2763 2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775 2776 2777 2778 2779 2780 2781 2782 2783 2784 2785 2786 2787 2788 2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803 2804 2805 2806 2807 2808 2809 2810 2811 2812 2813 2814 2815 2816 2817

1669-1670

1290

TOOLS USED

[illegible]

SHOOTING RECORD

[illegible]

2001

Deben ser

PLUGS AND ADAPTERS

DATE	DRILLING	LOGGING	TESTING	PRODUCTION	REMARKS
SHOOTING RECORD					
DATE	TIME	LOCATION	DEPTH	REMARKS	
PLUGS AND ADAPTERS					
DATE	TIME	LOCATION	DEPTH	REMARKS	
MIDDING AND CEMENTING RECORD					
DATE	TIME	LOCATION	DEPTH	REMARKS	

HISTORY OF OIL OR GAS WELL

10-43004-2 U. S. GOVERNMENT PRINTING OFFICE

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

DATE	TIME	LOCATION	DEPTH	REMARKS

CASING RECORD

DATE	TIME	LOCATION	DEPTH	REMARKS
After drilling to 5985' and cementing 4-1/2" casing, cement plug was drilled out from 5921' to 5975' (P.B.T.D.). Perforated 4-1/2" casing from 5942' to 5947' with 4 jet shots per foot. Acidized perforations with 3000 gallons of regular 15% acid. After swabbing, well flowed 308 barrels of oil and 52 barrels of salt water in 24 hours.				

LOG OF OIL OR GAS WELLS OR ZONES

DATE	TIME	LOCATION	DEPTH	REMARKS
The summary on this page is for the condition of the well at above date.				
The information given hereafter is a complete and correct record of the well and all work done thereon.				
Location	Sec.	Twp.	R.	County
Owner	Address			

LOCATE WELL CORRECTLY

LOG OF OIL OR GAS WELL

GEOLOGICAL SURVEY

DEPARTMENT OF THE INTERIOR
UNITED STATES

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Communitized with

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

I-149-Ind-8835 SL-067807

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

9. WELL NO.

H 207

10. FIELD AND POOL, OR WILDCAT

Aneth

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

7, 1903, R24E, S14N

12. COUNTY OR PARISH 13. STATE

San Juan

Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	2. NAME OF OPERATOR Texaco Inc.	3. ADDRESS OF OPERATOR P. O. Box 810, Farmington, New Mexico, 87401	14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.) 5021' DF
--	------------------------------------	--	----------------	--

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data			
NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input checked="" type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	
(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)			

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

Reason for workover was to stimulate oil production.

Commenced workover on 6-30-65. Treated perforations 5956' to 5966' with 2000 gallons of HE-CRA acid. Treating pressure 1500 to 0 psi with an average injection rate of 4 1/2 barrels per minute. Treated perforations 5942' to 5947' with 1000 gallons of HE-CRA acid. Treating pressure 2200 to 800 psi with an average injection rate of 4 1/2 barrels per minute. On 24 hour test ending 10:00 a.m., 7-3-65, well pumped 141 barrels of 41.1 gravity oil and 39 barrels of water. Length of pump stroke 24" with 13 1/2 strokes per minute.

18. I hereby certify that the foregoing is true and correct

SIGNED E. C. HALLTITLE District AccountantDATE Sept. 2, 1965

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ well gas ☐ well other ☐
2. NAME OF OPERATOR
Texaco Inc.
3. ADDRESS OF OPERATOR
P.O. Box EE, Cortez, CO 81321
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1820'FNL & 820'FEL, Sec. 7
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>
(other) Convert to water inj.		

5. LEASE I-149-IND-8835, SL-067807	
6. IF INDIAN, ALLOTTEE OR TRIBE NAME Navajo	
7. UNIT AGREEMENT NAME Aneth Unit	
8. FARM OR LEASE NAME Unit	
9. WELL NO. H207	
10. FIELD OR WILDCAT NAME Aneth	
11. SEC., T., R., M. OR BLK. AND SURVEY OR AREA Sec. 7, T40S, R24E	
12. COUNTY OR PARISH San Juan	13. STATE Utah
14. API NO.	
15. ELEVATIONS (SHOW DF, KDB AND WD) 5030 KB	

APPROVED BY THE DIVISION
OF OIL, GAS, AND MINING
DATE: 12/11/80
BY: [Signature]

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Texaco Inc. plans to convert Aneth Unit H207 from oil producing to water injection status. All work will be done in accordance with USGS and UOGCC regulations. Proposed procedure is as follows:

1. Pull production equipment and clean out to 5985' KB.
2. Perforate 5974-84 with 4 JSPF.
3. Run plastic-coated tubing and packer. Set packer at 5910' KB and inhibit tubing-casing annulus.
4. Place well on injection.
5. Run tracer survey after injection rate stabilizes and acidize if necessary.

In addition, a 1500' injection line (2 7/8" cmt-lined steel) will be laid from H207 along existing lease roads to a line near G207.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Alvin R. Mann TITLE Field Foreman DATE 11-03-80

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

USGS(4) UOGCC(3) Navajo Tribe-Superior Oil-GLE-ARM

TEXACO

TEXACO INC.

P.O. Box EE

Cortez, Colorado 81321

November 3, 1980

U.S. Dept. of the Interior
Geological Survey
P.O. Box 959
Farmington, New Mexico 87401

Attention: Mr. James F. Sims

Dear Mr. Sims:

Please refer to Texaco Inc.'s Sundry Notices of Intent to Convert to Water Injection Wells H207, F222, F422, F424, E125, E325, G125, H225, H425, E126, G126X, G326, and J330 (Forms 9-331 attached). The following information should complete the applications for conversion as required by NTL-2B.

Approximately 38,000 BWPD is produced from the Ismay and Desert Creek members of the Pennsylvanian Paradox formation and injected back into the same formation through approximately 143 WI wells. The latest analysis of this produced water (7-02-80) revealed 90,000 ppm dissolved solids, 85,000 ppm Cl^- as NaCl, 67.5 ppm H_2S , 200 ppm CO_2 as CaCO_3 , and 0.25 ppm Fe. The wells are to have internally coated (Tubecoat TK-75) tubing and retrievable injection packers. The tubing-casing annulus of each well is to be treated with 0.5 gallon per barrel TC-6768A corrosion inhibitor. The wells should take approximately 300-500 BWPD at 1900 to 2200 psi WHP.

Radioactive injection surveys will be run on all conversions as their rates and pressures stabilize. Thereafter, periodic surveys will be run to assure that the injected water is confined to the proposed injection interval. Also, casing pressures will be monitored to insure against tubing and/or packer leaks or casing leaks. If pressure is noted on the backside and can't be bled off, the well will be shut-in until corrective action is taken to repair the cause of the backside pressure.

The following downhole information is available for the subject wells:

H207

TD=5985'

PBTD=5975'

13 3/8", 48# csg set at 101'. Hole size=17 1/4"

Cmt with 150 sx reg cmt - circulated to surface

8 5/8", 24# csg set at 1500'. Hole size=11"

Cmt with 1000 sx reg cmt - circulated to surface

4 1/2", 9.5# csg set at 5975'. Hole size=6 3/4"

Cmt with 250 sx reg cmt - top at 4600'

F222

TD=5956' PBD=5900'

8 5/8", 24# csg set at 558'. Hole size=11"

Cmt with 325 sx Class B with 2% CaCl₂ and 1/4# Celloflake per sk.
Circulated to surface

5 1/2", 14 and 15.5# csg set at 5956'. Hole size=7 7/8"

Cmt with 300 sx Class B with 7# NaCl, 6 1/4# gilsonite, .75% CFR-2,
and 1/2# Mud-Kil per sk.

DV stage tool set at 2884'.

Cmt with 400 sx HLC cmt with 1/4# Floseal per sk followed by
50 sx Class B.

F422

TD=5814' PBD=5777'

8 5/8", 24# csg set at 1500'. Hole size=11"

Cmt with 1050 sx reg cmt - circulated to surface

4 1/2", 9.5# csg set at 5813'. Hole size=6 3/4"

Cmt with 250 sx reg cmt - top at 4460'

F424

TD=5862' PBD=5821'

8 5/8", 24# csg set at 1500'. Hole size=12 1/4"

Cmt with 1000 sx reg cmt - circulated to surface

5 1/2", 14#(5500') and 15.5#(352') csg set at 5862'. Hole size=7 7/8"

Cmt with 500 sx reg cmt - top at 3900'

E125

TD=5804' PBD=5656'

8 5/8", 24# csg set at 1520'. Hole size=12 1/4"

Cmt with 1250 sx reg cmt - circulated to surface

4 1/2", 9.5# csg set at 5795'. Hole size=6 3/4"

Cmt with 300 sx reg cmt - top at 4525'

E325

TD=5805' PBD=5660'

8 5/8", 24# csg set at 1500'. Hole size=11"

Cmt with 1050 sx reg cmt - circulated to surface

5 1/2", 14#(5500') and 15.5#(293') csg set at 5805'. Hole size=7 7/8"

Cmt with 250 sx reg cmt - top at 4750'

G125

TD=5913' PBD=5874'

9 5/8", 32.3# csg set at 1399'. Hole size=12 1/4"

Cmt with 1000 sx reg cmt - circulated to surface

7", 26# csg set at 5903'. Hole size=8 3/4"

Cmt with 500 sx reg cmt - top at 4150'

H225

TD=5680' PBD=5625'

8 5/8", 24# csg set at 1495'. Hole size=11"

Cmt with 1300 sx reg cmt - circulated to surface

5 1/2", 14#(5500') and 15.5#(159') csg set at 5670'. Hole size=7 7/8"

Cmt with 500 sx reg cmt - top at 4115'

H425

TD=5619' PBD=5465'

13 3/8", 48# csg set at 105'. Hole size=17 1/4"

Cmt with 100 sx reg cmt - circulated to surface

8 5/8", 24# csg set at 1508'. Hole size=11"

Cmt with 1250 sx reg cmt - circulated to surface

4 1/2", 9.5# csg set at 5619'. Hole size=6 3/4"

Cmt with 250 sx reg cmt - top not noted

E126

TD=5837' PBD=5694'

8 5/8", 24# csg set at 1510'. Hole size=11"

Cmt with 1050 sx reg cmt - circulated to surface

5 1/2", 14#(5500') and 15.5#(337') csg set at 5833'. Hole size=7 7/8"

Cmt with 250 sx reg cmt - top at 4610'

G126X

TD=5780' BBD=5670'

8 5/8", 24# csg set at 560'. Hole size=11"

Cmt with 275 sx Class B with 2% CaCl₂ and 1/4# Celloflake per sk.

Cmt with 125 sx Class B from the surface.

5 1/2", 14 and 15.5# csg set at 5780'. Hole size=7 7/8"

Cmt with 300 sx Class B with 7# NaCl, 6 1/4# gilsonite, .75% CFR-2, and 1/4# Mud-Kil per sk.

DV stage tool set at 2863'.

Cmt with 400 sx HLC cmt with 1/4# Floseal per sk followed by 50 sx Class B.

G326

TD=5772' PBD=5649'

8 5/8", 24# csg set at 1500'. Hole size=11"

Cmt with 950 sx reg cmt - circulated to surface

5 1/2", 14#(5500') and 15.5#(259') csg set at 5771'. Hole size=7 7/8"

Cmt with 250 sx reg cmt - top at 4540'

J330

TD=5600' PBD=5587'

13 3/8", 45# csg set at 80'. Hole size=17 1/4"

Cmt with 200 sx reg cmt - circulated to surface

8 5/8", 24# csg set at 1507'. Hole size=12 1/2"

Cmt with 1250 sx reg cmt - circulated to surface

5 1/2", 14#(5500') and 15.5#(89') csg set at 5600'. Hole size=7 7/8"

Cmt with 300 sx reg cmt and 400 gal cement - top at 4135'

The following information is available for known aquifers in the area:

F422

Fresh water well 440 yards southwest of location. Salt saturation is 3,000 ppm Cl^- as NaCl.

G126X

Fresh water well 400 yards east of location near producing well H126. Salt saturation is 3,000 ppm Cl^- as NaCl.

E125

Fresh water well 300 yards west of location near producing well H126. Salt saturation is 3,000 ppm Cl^- as NaCl. (Same as above)

G325X

Fresh water well 880 yards east of location. Salt saturation is 2,000 ppm Cl^- as NaCl.

H425

Natural spring 100 yards northeast of location. Salt saturation is 2,000 ppm Cl^- as NaCl.

If any additional information is required, please advise. Your prompt attention is appreciated.

Yours very truly,



Alvin R. Marx
Field Foreman

RNR

cc: UOGCC (3)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☒ gas well ☐ other ☐

2. NAME OF OPERATOR
Texaco Inc.

3. ADDRESS OF OPERATOR
P.O. Box EE, Cortez CO 81321

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1820' FNL & 820' FEL, Sec. 7
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF <input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	<input checked="" type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE <input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES <input type="checkbox"/>	<input type="checkbox"/>
ABANDON* <input type="checkbox"/>	<input type="checkbox"/>
(other) <u>Converted to water inj.</u>	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

12-9-81 MIRUSU

Pulled rods, tubing, and pump. Ran bit and scrapper to 5985 KB. Perforated w/2 JSPF 5974-5984. Ran in hole with 2 7/8" plastic coated tubing and packer. Set packer at 5911 KB. Treated annulus with corrosion inhibitor. Placed well on injection.

Tested: 500 BWIPD 0 PSI

Subsurface Safety Valve: Manu. and Type _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Alvin R. Mary TITLE Field Supt. DATE 12-31-81

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

USGS(4) UOGCC(3) Navajo Tribe-Superior Oil-CDF ARM

5. LEASE
I-149-IND-8839 SL-067807

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
Navajo

7. UNIT AGREEMENT NAME
Aneth Unit

8. FARM OR LEASE NAME
Unit

9. WELL NO.
H207

10. FIELD OR WILDCAT NAME
Aneth

11. SEC., T., R., M. OR BLK. AND SURVEY OR AREA
Sec. 7, T40S, R24E


12. COUNTY OR PARISH
San Juan

13. STATE
Utah

14. API NO.

15. ELEVATIONS (SHOW FC, KDB, AND WD)
5030 KB

(NOTE: Report results of multiple completion or zone change on Form 9-330.)



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☒ gas well ☐ other ☐ Water Injection
2. NAME OF OPERATOR
Texaco Inc.
3. ADDRESS OF OPERATOR
P.O. Box EE Cortez, Colo. 81321
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1820' FNL & 820' FEL
AT TOP PROD. INTERVAL: Sec 7
AT TOTAL DEPTH:
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

- TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) ☐

SUBSEQUENT REPORT OF:

- ☐
☒
☐
☐
☐
☐
☐
☐
☐

RECEIVED

JUN 26 1984

DIVISION OF OIL
GAS & MINING

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

5/5/84 MIRUSU: Release Pkr. & TOOH. TIH W/new 4-1/2" PKR. & set at 5914'KB. Tested csg to 1000#, held. Acidized gross perfs W/ 4000 gal. 28% HCL Acid in 2 stages. 1st. stage, 2500 gal acid, 1250gal prod. water. Flushed. 2nd stage 1500 gal acid, 1250 gal prod. water, Flushed. Average rate 2BPM @ 2950#. ISIP=2900#. 15 min = 2625#. SI 1 hr. & backflowed. Released PKR. Inhibited annulus W/corrosion inhibitor. Set Pkr. @ 5903'KB. Tested csg. to 1000# & held. Hooked up well head. RDMOSU: Put well on injection..

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Alvin R. Mann TITLE Field Supt. DATE 6/21/84

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

BLM (4) UOGCC (3) Navajo Tribe-Superior Oil-JNH-LAA-ARM

STATE OF UTAH
DIVISION OF OIL, GAS, AND MINING
ROOM 4241 STATE OFFICE BUILDING
SALT LAKE CITY, UTAH 84114
(801) 533-5771
(RULE 1-5)

FORM NO. DOGM-UIC-1

IN THE MATTER OF THE APPLICATION OF

Texaco Inc.
ADDRESS P.O. Box EE
Cortez, Colo. ZIP 81321
INDIVIDUAL ☐ PARTNERSHIP ☐ CORPORATION ☒
FOR ADMINISTRATIVE APPROVAL TO DISPOSE OR
INJECT FLUID INTO THE Aneth Unit H207 WELL
SEC. 7 TWP. 40S RANGE 24E
San Juan COUNTY, UTAH

CAUSE NO. _____

ENHANCED RECOVERY INJ. WELL ☒
DISPOSAL WELL ☐

APPLICATION

Comes now the applicant and shows the Division the following:

1. That Rule 1-5 (b) 6 authorizes administrative approval of enhanced recovery injections or disposal operations.
2. That the applicant submits the following information.

Lease Name <u>Aneth Unit</u>	Well No. <u>H207</u>	Field <u>Aneth</u>	County <u>San Juan</u>
Location of Enhanced Recovery Injection or Disposal Well <u>SE-NE</u> Sec. <u>7</u> Twp. <u>40S</u> Rge. <u>24E</u>			
New Well To Be Drilled Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Old Well To Be Converted Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Casing Test Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date <u>12/9/81</u>	
Depth-Base Lowest Known Fresh Water Within 1/2 Mile <u>1500</u>	Does Injection Zone Contain Oil-Gas-Fresh Water Within 1/2 Mile YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		State What <u>Oil & Gas</u>
Location of Injection Source(s) <u>Aneth Unit Producing Well</u> <u>& San Juan River</u>		Geologic Name(s) and Depth of Source(s) <u>Ismay & Desert Creek</u> <u>± 5600'</u>	
Geologic Name of Injection Zone <u>Paradox; Ismay</u> <u>& Desert Creek</u>		Depth of Injection Interval <u>5942</u> to <u>5994</u>	
a. Top of the Perforated Interval: <u>5942</u>	b. Base of Fresh Water: <u>1500</u>	c. Intervening Thickness (a minus b) <u>4442</u>	
Is the intervening thickness sufficient to show fresh water will be protected without additional data? <u>(YES)</u> NO			
Lithology of Intervening Zones <u>Sandstone, limestone, anhydrite w/ intermittent shale layers</u>			
Injection Rates and Pressures Maximum <u>2000</u> B/D <u>2500</u> PSI			
The Names and Addresses of Those To Whom Copies of This Application and Attachments Have Been Sent			
<u>The Navajo Tribe</u> <u>U.S. Dept of Interior</u>			
<u>Box 146</u> <u>2000 Adm. Bldg.</u>			
<u>Window Rock, Arizona</u> <u>Salt Lake City, Utah</u>			
<u>84109</u>			

State of Colorado

County of Montezuma

Philip M. Field Applicant

Before me, the undersigned authority, on this day personally appeared Alvin R. Marshall
known to me to be the person whose name is subscribed to the above instrument, who being by me duly sworn on oath states, that he is duly
authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct.

-Subscribed and sworn to before me this 7 day of Oct., 19 83

SEAL

My commission expires 7-17-85

Mahilda M. Deering
925 So. Broadway - Bldg. 10.
Notary Public in and for _____

(OVER)


INSTRUCTIONS

1. Attach qualitative and quantitative analysis of fresh water from 2 or more producing wells within 1 mile of injection well showing location of wells and date samples were taken, or statement as to why samples were not submitted.
2. Attach qualitative and quantitative analysis of representative sample of water to be injected.
3. Attach plat showing subject well and all known oil and gas wells, abandoned, drilling and dry holes within ½ mile, together and with name of operator.
4. Attach Drillers Log (Form DOGM-UIC-2). (Appropriate Surety must be on file with Conservation Division.)
5. Attach Electric or Radioactivity Log of Subject well (if released).
6. Attach schematic drawing of subsurface facilities including; Size, setting depth, amount of cement used measured or calculated tops of cement surface, intermediate (if any) and production casings; size and setting depth of tubing; type and setting depth of packer; geologic name of injection zone showing top and bottom of injection interval.
7. The original and 6 copies of application, and one complete set of attachments shall be mailed to the Division.
8. Deliver 1 copy of application to landowner on whose land injection well is located and to each operator of a producing leasehold within ½ mile of injection well.
9. Affidavit of mailing or delivery shall be filed not later than five days after the application is filed.
10. Notice that an application has been filed shall be published by the Division in a newspaper of general circulation in the county in which the well is located. The Division shall file proof of publication before the application is approved. The notice shall include name and address of applicant, location of proposed injection or disposal well, injection zone, injection pressure and volume. If no written objection is received within 15 days from date of publication the application will be approved administratively.
11. A well shall not be used for injection or disposal unless completed machine accounting Form DOGM-UIC-3b is filed September 1st, each year.
12. Approval of this application, if granted, is valid only as long as there is no substantial change in the operations set forth in the application. A substantial operation change requires the approval of a new application.
13. If there is less intervening thickness required by Rule I-5 (b) 4 attach sworn evidence and data.

CASING AND TUBING DATA

NAME OF STRING	SIZE	SETTING DEPTH	SACKS CEMENT	TOP OF CEMENT	TOP DETERMINED BY
Surface	13 7/8"	101	150	Cir. to top	NA
Intermediate	8 5/8"	1300	1000	Cir. to top	NA
Production	4 1/2"	5975	250	4600'	NA
Tubing	2 7/8"	5923'	4 1/2" Name - Type - Depth of Tubing Packer Baker INJ PER 5918'		
Total Depth	Geologic Name - Inj. Zone		Depth - Top of Inj. Interval		Depth - Base of Inj. Interval
5985'	Desert Creek		5942		5984

SKETCH - SUB-SURFACE FACILITY



PLEASE TYPE OR USE BLACK INK ONLY

(To be filed within 30 days after drilling is completed)

SL-067807

DEPARTMENT OF NATURAL RESOURCES AND ENERGY


COUNTY
LEASE NO.

DIVISION OF OIL, GAS, AND MINING

Room 4241 State Office Building

Salt Lake City, Utah 84114

API NO

640 Acres
NLocate Well Correctly
and Outline LeaseCOUNTY San Juan SEC. 7 TWP. 40S RGE. 24ECOMPANY OPERATING Terrace Inc.OFFICE ADDRESS P.O. Box E ETOWN Cortez STATE Colo. ZIP 81321FARM NAME Aneth Unit WELL NO. H 207DRILLING STARTED 4/15/59 DRILLING FINISHED 6/20/59DATE OF FIRST PRODUCTION 5/11/59 COMPLETED 5-11-59WELL LOCATED NW 1/4 SE 1/4 NE 1/4820 FT. FROM SL OF 1/4 SEC. & 1820 FT. FROM WL OF 1/4 SEC.ELEVATION DERRICK FLOOR 5021' GROUND 5020'

TYPE COMPLETION

Single Zone Desert Creek Order No. _____

Multiple Zone _____ Order No. _____

Comingled _____ Order No. _____

LOCATION EXCEPTION

OIL OR GAS ZONES

Name	From	To	Name	From	To
<u>Desert Creek</u>	<u>5924</u>	<u>Not Reached</u>			

CASING & CEMENT

Casing Set				Csg. Test	Cement		
Size	Wgt	Grade	Feet	Psi	Sax	Fillup	Top
<u>13 3/8"</u>	<u>48</u>	<u>NA</u>	<u>101</u>	<u>NA</u>	<u>150</u>	<u>NA</u>	<u>Circ. to top</u>
<u>8 5/8"</u>	<u>24</u>	<u>NA</u>	<u>1300</u>	<u>NA</u>	<u>1000</u>	<u>NA</u>	<u>Circ. to top</u>
<u>4 1/2"</u>	<u>9.5</u>	<u>NA</u>	<u>5975</u>	<u>NA</u>	<u>250</u>	<u>NA</u>	<u>4600'</u>

TOTAL DEPTH 5985'PACKERS SET
DEPTH5918'

COMPLETION & TEST DATA BY PRODUCING FORMATION

FORMATION	1	2	3
<u>Desert Creek</u>			
SPACING & SPACING ORDER NO.	<u>40 Acre</u>		
CLASSIFICATION (Oil; Gas; Dry; Inj. Well)	<u>Oil Well</u>		
PERFORATED	<u>5942-66</u>		
INTERVALS			
ACIDIZED?	<u>3000 gal HCl</u>		
FRACTURE TREATED?			


INITIAL TEST DATA

Date	<u>5-11-59</u>		
Oil. bbl./day	<u>310</u>		
Oil Gravity	<u>41°</u>		
Gas. Cu. Ft./day	<u>NA</u>	CF	CF
Gas-Oil Ratio Cu. Ft./Bbl.	<u>NA</u>		
Water-Bbl./day	<u>50</u>		
Pumping or Flowing	<u>Flowing</u>		
CHOKE SIZE	<u>NA</u>		
FLOW TUBING PRESSURE	<u>NA</u>		

A record of the formations drilled through, and pertinent remarks are presented on the reverse.
(use reverse side)

I, the undersigned, being first duly sworn upon oath, state that this well record is true, correct and complete according to the records of this office and to the best of my knowledge and belief.

Telephone 303-565-8401 Abil M. Field Supt
Name and title of representative of companySubscribed and sworn before me this 7 day of October, 19 59Martha M. Dearing
Notary




NL Treating Chemicals/NL Industries, Inc.

P.O. Box 1675, Houston, Texas 77001

WATER ANALYSIS REPORT

COMPANY TEXACO, INCORPORATED						SHEET NUMBER 1	
FIELD ANETH						DATE 5 APRIL 1982	
WELL(S) NAME OR NO. INJECTION WATER				COUNTY OR PARISH SAN JUAN		STATE UTAH	
LEASE OR UNIT ANETH		SAMPLE SOURCE PLANT		WATER SOURCE (FORMATION)			
DEPTH, FT.	BHT, F		TEMP, F	WATER, BBL/DAY	OIL, BBL/DAY	GAS, MMCF/DAY	
DATE SAMPLED 6 APRIL 1982		TYPE OF WATER <input type="checkbox"/> PRODUCED <input checked="" type="checkbox"/> SUPPLY <input checked="" type="checkbox"/> WATERFLOOD <input type="checkbox"/> SALT WATER DISF					



DISSOLVED SOLIDS

CATIONS	me/l*	mg/l*
Total Hardness	392.0	
Calcium, Ca ⁺⁺	268.0	5360.0
Magnesium, Mg ⁺⁺	124.0	1519.0
Iron (Total), Fe ⁺⁺⁺	0.5	10.0
Barium, Ba ⁺⁺	—	1.0
Sodium, Na ⁺ (calc.)	1035.1	23807.3
ANIONS		
Chloride, Cl ⁻	1380.3	49000.0
Sulfate, SO ₄ ⁼	24.5	1175.0
Carbonate, CO ₃ ⁼	0.0	0.0
Bicarbonate, HCO ₃ ⁻	4.0	244.0
Hydroxyl, OH ⁻	0.0	0.0
Sulfide, S ⁼	18.8	300.0

DISSOLVED GASES

Hydrogen Sulfide, H ₂ S	337.5 mg/l*
Carbon Dioxide, CO ₂	185.0 mg/l*
Oxygen, O ₂	1.0 mg/l*

PHYSICAL PROPERTIES

pH	6.65
Eh (Redox Potential)	N.D. MV
Specific Gravity	N.D.
Turbidity, JTU Units	N.D.
Total Dissolved Solids (calc.)	81385.3 mg/l*
Stability Index @ 77 F	+0.39
@ 140 F	+1.32
CaSO ₄ Solubility @ 77 F	306.6 me/l*
@ 176 F	306.8 me/l*
Max. CaSO ₄ Possible (calc.)	24.5 me/l*
Max. BaSO ₄ Possible (calc.)	1.0 mg/l*
Residual Hydrocarbons	N.D. ppm(Vol)

SUSPENDED SOLIDS (QUALITATIVE)

Iron Sulfide ☐ Iron Oxide ☐ Calcium Carbonate ☐ Acid Insoluble ☐

REMARKS AND RECOMMENDATIONS:

WATER SHOWS A TENDENCY TOWARD SCALING; PRIMARILY CALCIUM CARBONATE

* NOTE: me/l and mg/l are commonly used interchangeably for epm and ppm respectively. Where epm and ppm are used, corrections should be made for specific gravity.

BYC ENGINEER MARK BROTHERS	DIST. NO. 12	ADDRESS FARMINGTON, N.M.	OFFICE PHONE 505-325-5701	HOME PHONE 505-325-4
--------------------------------------	------------------------	------------------------------------	-------------------------------------	--------------------------------

TEXACO

INSTRUCTIONS - CANCELS LETTER(S) OF

SIGNED BY

☐ PERMANENT☐ ROUTINE☐ TEMPORARY

19

(LOCATION)

(DATE)

Subject: Water Analysis from
Navajo Aquifer

Aneth Unit H415

Location - SE 1/4 - SE 1/4 Sec 15, T40S, R24E

Sample Date - 1-17-59

Depth - Navajo Aquifer

Temp - 67°F

Ph - 8.7

Total Dissolved Solids - 2573 ppm

SiO₂ - 16 ppmCa⁺⁺ - 7 ppmMg⁺⁺ - 28 ppmNa⁺ - 76 ppmCO₃⁼ - 130 ppmHCO₃⁻ - 156 ppmSO₄⁼ - 599 ppmCl⁻ - 757 ppm

Aneth Unit G422

Location - SW 1/4 - SE 1/4 Sec 22, T40S, R24E

Sample Date - 1-18-59

Depth - Navajo Aquifer

Temp - 67°F

Ph - 9.2

Total Dissolved Solids - 2823 ppm

SiO₂ - 17 ppmCa⁺⁺ - 6 ppmMg⁺⁺ - 8 ppmNa⁺ - 915 ppmCO₃⁼ - 925 ppmHCO₃⁻ - 912 ppmSO₄⁼ - 265 ppmCl⁻ - 271 ppm* Note: these numbers were obtained from Texaco Files
in the Denver Division offices

If letter requires reply prepare in triplicate, forwarding original and duplicate, and retain copy.

P.O. Box 2100

Denver, CO

80201

By

CHECKLIST FOR INJECTION WELL APPLICATION AND FILE REVIEW

* * * * *

Operator: Jehaco Well No. Ameth Unit H 207
 County: San Juan T 405 R 24E Sec. 7 API# 43-037-16118
 New Well Conversion Disposal Well Enhanced Recovery Well X

	<u>YES</u>	<u>NO</u>
UIC Forms Completed	<u>✓</u>	<u> </u>
Plat including Surface Owners, Leaseholders, and wells of available record	<u>✓</u>	<u> </u>
Schematic Diagram	<u>✓</u>	<u> </u>
Fracture Information	<u>✓</u>	<u> </u>
Pressure and Rate Control	<u>✓</u>	<u> </u>
Adequate Geologic Information	<u>✓</u>	<u> </u>

Fluid Source

Desert Creek - January

Analysis of Injection Fluid	Yes <u>✓</u>	No <u> </u>	TDS <u>81,385</u>
Analysis of Water in Formation to be injected into	Yes <u>✓</u>	No <u> </u>	TDS <u>81,385</u>

Known USDW in area

None Depth 1500

Number of wells in area of review

7 Prod. 1 P&A 0

Water 0 Inj. 6

Aquifer Exemption

Yes NA ✓

Mechanical Integrity Test

Yes No ✓

Date Type

Comments:

TOC 4600

Reviewed by:

CHJ

UTAH DIVISION OF OIL, GAS AND MINING
CASING-BRADENHEAD TEST

OPERATOR: Texaco Oil Company
FIELD: Greater Aneth LEASE: Aneth
WELL # H-207 SEC. 7 TOWNSHIP 40S RANGE 24E
STATE FED. FEE DEPTH 5985 TYPE WELL INTJW MAX. INJ. PRESS. 2500
Indian 2000 b/d
TEST DATE 11/12/86

CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE
<u>SURFACE</u>	<u>13³/₈"</u>	<u>101</u>	<u>150</u>			
<u>INTERMEDIATE</u>	<u>8⁵/₈"</u>	<u>1300</u>	<u>1000</u>		<u>Bradenhead was left open</u>	
<u>PRODUCTION</u>	<u>4¹/₂"</u>	<u>5975</u>	<u>250</u>	<u>0</u>		

<u>TUBING</u>	<u>2⁷/₈"</u>	<u>5923</u>		<u>1925</u>		
			<u>4¹/₂"</u>	<u>Baker IP C 5918</u>		

CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE
<u>SURFACE</u>	<u>13³/₈"</u>	<u>101</u>	<u>150</u>			
<u>INTERMEDIATE</u>	<u>8⁵/₈"</u>	<u>1300</u>	<u>1000</u>			
<u>PRODUCTION</u>	<u>4¹/₂"</u>	<u>5975</u>	<u>250</u>			

<u>TUBING</u>	<u>2⁷/₈"</u>	<u>5923</u>				
			<u>4¹/₂"</u>	<u>Baker at 5918</u>		

CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE
<u>SURFACE</u>						
<u>INTERMEDIATE</u>						
<u>PRODUCTION</u>						

<u>TUBING</u>						
---------------	--	--	--	--	--	--

DATE: 05/02/91

WELLS BY OPERATOR

PAGE: 96

ACCT NUM	COMPANY NAME	FLD NUM	FIELD NAME	TOWN SHIP	RANGE	SEC	QTR QTR	API NUMBER	PROD ZONE	WELL STATUS	ENTITY	WELL NAME
NO980	TEXACO INC	365	GREATER ANETH	S400	E240	7	SESW	4303715415	PRDX	WIW	99990	WEST ISMAY FED. 2 (ANETH)
				S400	E240	7	SWNE	4303716308	PRDX	PA	99990	GULF-AZTEC FED. 6 (ANETH)
				S400	E240	7	NWSE	4303716100	HRMS	WIW	99990	NAVAJO FED. 6-1 (ANETH G)
				S400	E240	7	SENE	4303716118	HRMS	WIW	99990	NAVAJO FEDERAL 7-1 (ANETH)
				S400	E240	7	SESE	4303716322	HRMS	WIW	99990	NAVAJO TRIBE FED 5-1 (ANE)
				S400	E240	8	SESE	4303716323	HRMS	WIW	99990	NAVAJO TRIBE L-3 (ANETH H)
				S400	E240	8	SWNW	4303716284	DSCR	WIW	99990	NAVAJO FED. 9-1 (ANETH E)
				S400	E240	8	NWSE	4303716101	PRDX	WIW	99990	NAVAJO TRIBE L-6 (ANETH G)
				S400	E240	8	SESW	4303716298	PRDX	WIW	99990	NAVAJO TRIBE E-13 (ANETH)
				S400	E240	8	SENW	4303716076	HRMS	WIW	99990	NAVAJO FED. 8-1 (ANETH F)
				S400	E240	8	NWSW	4303716060	PRDX	WIW	99990	NAVAJO TRIBE E-15 (ANETH)
				S400	E240	8	SENE	4303716119	HRMS	WIW	99990	NAVAJO TRIBE E-16 (ANETH)
				S400	E240	8	NWNE	4303716305	DSCR	PA	99998	NAVAJO TRIBE E-17 (ANETH)
				S400	E240	9	NWSW	4303716061	PRDX	WIW	99990	NAVAJO TRIBE E-14 (ANETH)
				S400	E240	9	SESW	4303716082	PRDX	WIW	99990	NAVAJO TRIBE E-4 (ANETH F)
				S400	E240	10	SESE	4303716125	PRDX	WIW	99990	NAVAJO TRIBE E-7 (ANETH H)
				S400	E240	11	SWSE	4303715944	PRDX	WIW	99990	NAVAJO A-10/34-11 (ANETH)
				S400	E240	11	SWSW	4303715940	PRDX	WIW	99990	NAVAJO A-11/14-11 (ANETH)
				S400	E240	11	NESW	4303716295	PRDX	WIW	99990	NAVAJO A-12/23-11 (ANETH)
				S400	E240	13	SWSW	4303715941	PRDX	WIW	99990	NAVAJO A-4/14-13 (ANETH E)
				S400	E240	13	SWNW	4303715938	PRDX	WIW	99990	NAV. TRIBE A-13/12-13 (ANE)
				S400	E240	14	SWNE	4303715943	PRDX	WIW	99990	NAVAJO A-7/32-14 (ANETH G)
				S400	E240	14	SWNW	4303715939	PRDX	WIW	99990	NAVAJO A-6/12-14 (ANETH E)
				S400	E240	14	NESW	4303715942	PRDX	WIW	99990	NAVAJO A-5/23-14 (ANETH F)
				S400	E240	14	NENW	4303716422	PRDX	WIW	99990	ANETH F-114
				S400	E240	14	SWSE	4303715945	PRDX	WIW	99990	NAVAJO A-1/34-14 (ANETH G)
				S400	E240	14	SWSW	4303716421	PRDX	WIW	99990	NAVAJO A-2 (ANETH E-414)
				S400	E240	14	NENE	4303716310	IS-DC	WIW	99990	NAVAJO A-9/41-14 (ANETH H)
				S400	E240	15	NWSW	4303730213	DSCR	WIW	99990	ANETH E-315
				S400	E240	15	NESE	4303730312	DSCR	WIW	99990	ANETH H-315
				S400	E240	21	SENE	4303716122	PRDX	WIW	99990	NAVAJO TRIBE D-7 (ANETH H)
				S400	E240	21	SESE	4303716330	PRDX	WIW	99990	NAVAJO TRIBE D-24 (ANETH)
				S400	E240	22	NWNW	4303730215	DSCR	WIW	99990	ANETH E-122
				S400	E240	22	SENW	4303730373	DSCR	WIW	99990	ANETH F-222
				S400	E240	22	NWSW	4303716067	PRDX	WIW	99990	NAVAJO TRIBE D-19 (ANETH)
				S400	E240	22	NENE	4303716117	PRDX	WIW	99990	NAVAJO TRIBE D-2 (ANETH H)
				S400	E240	22	NWNE	4303730425	IS-DC	WIW	99990	ANETH G-122
				S400	E240	22	NWSE	4303720231	DSCR	WIW	99990	ANETH G-322X
				S400	E240	22	SENE	4303730242	DSCR	WIW	99990	ANETH H-222
				S400	E240	23	SENE	4303716123	PRDX	WIW	99990	NAVAJO TRIBE C-8 (ANETH H)
				S400	E240	23	SESE	4303716128	PRDX	WIW	99990	NAVAJO TRIBE C-3 (ANETH H)
				S400	E240	23	SENW	4303716079	PRDX	WIW	99990	NAVAJO TRIBE C-7 (ANETH F)
				S400	E240	23	NWNE	4303716306	DSCR	WIW	99990	NAVAJO TRIBE C-1 (ANETH G)
				S400	E240	23	SESW	4303716086	PRDX	WIW	99990	NAVAJO TRIBE C-17 (ANETH)
				S400	E240	23	NENW	4303730235	IS-DC	WIW	99990	ANETH F-123
				S400	E240	24	SENW	4303716289	PRDX	WIW	99990	NAVAJO TRIBE C-16 (ANETH)
				S400	E240	24	NWSW	4303716069	PRDX	WIW	99990	NAVAJO TRIBE C-10 (ANETH)

TRANSFER OF AUTHORITY TO INJECT - UIC FORM 5

RECEIVED

MAY 28 1991

Well name and number: _____		See Attached Listing	DIVISION OF OIL GAS & MINING
Field or Unit name: _____		API no. _____	
Well location: QQ _____ section _____ township _____ range _____ county _____			
Effective Date of Transfer: <u>6-1-91</u>			
CURRENT OPERATOR			
Transfer approved by:			
Name	<u>R. S. Lane</u>	Company	<u>Texaco Inc.</u>
Signature	<u><i>R. S. Lane</i></u>	Address	<u>P. O. Box 3109</u>
Title	<u>Attorney-in-Fact</u>	<u>Midland, TX 79702</u>	
Date	_____	Phone	<u>(915) 688-4100</u>
Comments: Correspondence Address: <u>Texaco Inc.</u> <u>3300 North Butler</u> <u>Farmington, NM 87401</u> <u>(505) 325-4397</u>			
NEW OPERATOR			
Transfer approved by:			
Name	<u>R. S. Lane</u>	Company	<u>Texaco Exploration and Production Inc.</u>
Signature	<u><i>R. S. Lane</i></u>	Address	<u>P. O. Box 3109</u>
Title	<u>Attorney-in-Fact</u>	<u>Midland, TX 79702</u>	
Date	_____	Phone	<u>(915) 688-4100</u>
Comments: Correspondence Address: <u>Texaco Exploration and Production Inc.</u> <u>3300 North Butler</u> <u>Farmington, NM 87401</u> <u>(505) 325-4397</u>			
(State use only)			
Transfer approved by <u><i>Gilbert</i></u>		Title <u><i>UIC Manager</i></u>	
Approval Date <u><i>6-26-91</i></u>			



Texaco Exploration and Production Inc
Midland Producing Division

P O Box 3109
Midland TX 79702-3109

May 22, 1991

RECEIVED

MAY 28 1991

DIVISION OF
OIL GAS & MINING

Division of Oil, Gas, and Mining
Attn: Ms. Lisha Romero
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Gentlemen:

This is to advise that as a part of a reorganization of Texaco Inc., a Delaware corporation, the name of Texaco Producing Inc., a Delaware corporation and wholly owned subsidiary of Texaco Inc., has been changed to Texaco Exploration and Production Inc. Further, Texaco Exploration and Production Inc. will succeed to the rights, titles, interests and obligations of Texaco Inc.

This means that Texaco Exploration and Production Inc. will be the operator for all the oil and gas properties that were operated by Texaco Inc. and Texaco Producing Inc. We plan to abbreviate the name as Texaco E & P Inc. for purposes of submitting production reports, etc., via computer, and we suggest that for consistency you use that abbreviation also.

We have enclosed a Sundry Notice with a list of the wells which Texaco operates in Utah. Also attached is UIC Form 5 for transfer of injection authority. Please note that Texaco has two Divisions which operate wells in Utah. One is located in Denver, Colorado, and the other is in Midland, Texas. We have enclosed separate Sundry Notices and lists of wells for each Division. If you have questions concerning the Denver-operated wells, please call Roger Hadley at (303) 793-4833. If you have questions concerning the Midland-operated wells, please call Ken Miller at (915) 688-4834.

Please change any of your other records as necessary to reflect this change.

Yours very truly,

R. S. Lane
Assistant Division Manager

RKH/KMM-CC

Attachments

ST/ OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.

Use APPLICATION FOR PERMIT— for such proposals

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other (specify)		6. Lease Designation and Serial Number
2. Name of Operator Texaco Exploration and Production Inc.		7. Indian Allottee or Tribe Name
3. Address of Operator 3300 North Butler, Farmington, NM 87401		8. Unit or Communitization Agreement
4. Telephone Number (505) 325-4397		9. Well Name and Number
5. Location of Well Footage : QQ, Sec, T., R., M. : See Attached		10. API Well Number
County : State : UTAH		11. Field and Pool, or Wildcat

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA																											
<p style="text-align: center;">NOTICE OF INTENT (Submit in Duplicate)</p> <table style="width: 100%;"> <tr> <td><input type="checkbox"/> Abandonment</td> <td><input type="checkbox"/> New Construction</td> </tr> <tr> <td><input type="checkbox"/> Casing Repair</td> <td><input type="checkbox"/> Pull or Alter Casing</td> </tr> <tr> <td><input type="checkbox"/> Change of Plans</td> <td><input type="checkbox"/> Recompletion</td> </tr> <tr> <td><input type="checkbox"/> Conversion to Injection</td> <td><input type="checkbox"/> Shoot or Acidize</td> </tr> <tr> <td><input type="checkbox"/> Fracture Treat</td> <td><input type="checkbox"/> Vent or Flare</td> </tr> <tr> <td><input type="checkbox"/> Multiple Completion</td> <td><input type="checkbox"/> Water Shut-Off</td> </tr> <tr> <td><input checked="" type="checkbox"/> Other <u>Transfer of Plugging Bond</u></td> <td></td> </tr> </table> <p>Approximate Date Work Will Start _____</p>	<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing	<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion	<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Vent or Flare	<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off	<input checked="" type="checkbox"/> Other <u>Transfer of Plugging Bond</u>		<p style="text-align: center;">SUBSEQUENT REPORT (Submit Original Form Only)</p> <table style="width: 100%;"> <tr> <td><input type="checkbox"/> Abandonment *</td> <td><input type="checkbox"/> New Construction</td> </tr> <tr> <td><input type="checkbox"/> Casing Repair</td> <td><input type="checkbox"/> Pull or Alter Casing</td> </tr> <tr> <td><input type="checkbox"/> Change of Plans</td> <td><input type="checkbox"/> Shoot or Acidize</td> </tr> <tr> <td><input type="checkbox"/> Conversion to Injection</td> <td><input type="checkbox"/> Vent or Flare</td> </tr> <tr> <td><input type="checkbox"/> Fracture Treat</td> <td><input type="checkbox"/> Water Shut-Off</td> </tr> <tr> <td><input checked="" type="checkbox"/> Other <u>Change of Operator/Operator Name</u></td> <td></td> </tr> </table> <p>Date of Work Completion _____</p> <p>Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form. * Must be accompanied by a cement verification report.</p>	<input type="checkbox"/> Abandonment *	<input type="checkbox"/> New Construction	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing	<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Shoot or Acidize	<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off	<input checked="" type="checkbox"/> Other <u>Change of Operator/Operator Name</u>	
<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction																										
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing																										
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion																										
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize																										
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Vent or Flare																										
<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off																										
<input checked="" type="checkbox"/> Other <u>Transfer of Plugging Bond</u>																											
<input type="checkbox"/> Abandonment *	<input type="checkbox"/> New Construction																										
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing																										
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Shoot or Acidize																										
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare																										
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off																										
<input checked="" type="checkbox"/> Other <u>Change of Operator/Operator Name</u>																											

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

This submittal is for a change of operator (name change) for all of the attached wells. The new operator, Texaco Exploration and Production Inc., hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Department for proper plugging and surface restoration of the attached wells. All contact personnel, office addresses and phone numbers will remain the same.

FORMER OPERATOR: TEXACO INC.

NEW OPERATOR: TEXACO EXPLORATION AND PRODUCTION INC.

SIGNED: *[Signature]*
Attorney-in-Fact

SIGNED: *[Signature]*
Assistant Division Manager

DATE: _____

DATE: _____

14. I hereby certify that the foregoing is true and correct

Name & Signature _____

Title Asst. Div. Manager Date _____

(State Use Only)

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO.
2. NAME OF OPERATOR Texaco Exploration and Production Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P.O. Box 46510, Denver, CO 80201		7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface		8. FARM OR LEASE NAME
14. PERMIT NO.		9. WELL NO.
15. ELEVATIONS (Show whether OF, AT, OR, ETC.)		10. FIELD AND POOL, OR WILDCAT
16. PERMIT NO.		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
17. ELEVATIONS (Show whether OF, AT, OR, ETC.)		12. COUNTY OR PARISH 13. STATE

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) Transfer of Plugging Bond <input checked="" type="checkbox"/>	

SUBSEQUENT REPORT OF:

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other) Transfer of Owner/Operator <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Texaco Inc. has assigned all its ownership rights in the subject well. As of January 1, 1991, Texaco Inc. is no longer the Operator of subject well. The New Operator Texaco Exploration and Production Inc. hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Commission for proper plugging and surface restoration of the subject well.

Former Operator:

TEXACO INC.

Signed:

Attorney-In-Fact
for Texaco Inc.

Date:

3/1/91

New Operator:

Texaco Exploration and Production Inc.

Signed:

Title: Division Manager

Date:

3/1/91

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Division Manager

DATE

3/1/91

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

COMMENTS OF APPROVAL, IF ANY:

1- LCR/GIL	✓
2- DTS/DTS	✓
3- VLC	✓
4- RJF	✓
5- RWM	✓
6- LCR	✓

Attach all documentation received by the division regarding this change.
Initial each listed item when completed. Write N/A if item is not applicable.

Change of Operator (well sold) ☐ Designation of Agent
Designation of Operator ☒ Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 1-1-91)

(TEXACO EXPLORATION AND PRODUCTION INC.)

TO (new operator) <u>TEXACO E & P INC.</u>	FROM (former operator) <u>TEXACO INC.</u>
(address) <u>3300 NORTH BUTLER</u>	(address) <u>3300 NORTH BUTLER</u>
<u>FARMINGTON, NM 87401</u>	<u>FARMINGTON, NM 87401</u>
<u>BRENT HELQUIST</u>	<u>FRANK</u>
phone <u>(505) 325-4397</u>	phone <u>(505) 325-4397</u>
account no. <u>N 5700 (6-5-91)</u>	account no. <u>N 0980</u>

Well(s) (attach additional page if needed):

Name: <u>(SEE ATTACHED)</u>	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- 1 (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). (5-28-91)
- 1/10 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form).
- 1/1 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes) (no) ____ If yes, show company file number: #114097.
- 1/1 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
- 1/1 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (6-11-91)
- 1/1 6. Cardex file has been updated for each well listed above.
- 1/1 7. Well file labels have been updated for each well listed above. (will update when filing)
- 1/1 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission.
- 1/1 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

VERIFICATION (Fee wells only)

1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond. #K0290791-4 80,000-Ins. Co. of N. America rec. 2-11-91.
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) no. Today's date _____ 19____. If yes, division response was made by letter dated _____ 19____. #m157448 80,000-Ins. Co. of N. America

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated _____ 19____, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
2. Copies of documents have been sent to State Lands for changes involving State leases. 6-27-91

INDEXING

1. All attachments to this form have been microfilmed. Date: July 15 1991.


INDEXING

1. Copies of all attachments to this form have been filed in each well file.
2. The original of this form and the original attachments have been filed in the Operator Change file.

REMARKS

- 910606 Btm/Farmington N.M. - Duane Spencer (505) 327-5344 will follow up & call back.
- 910607 Btm/Farmington - Approved 4-2-91 "Company Merger" Includes Aneth Unit and Ismay Flodine Unit.
- 910607 St. Jends approved 4-15-91 "merger".

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT



FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

Lease Designation and Serial No.

1-149-IND-8835

If Indian, Allottee or Tribe Name

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
☐ Oil Well ☐ Gas Well ☒ Other **Injection Well**

2. Name of Operator
Texaco Exploration & Production Inc.

3. Address and Telephone No.
3300 N. Butler, Farmington N.M. 87401 (505)325-4397

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
**1820' FNL & 820' FEL
SE/4, NE/4, Sec. 7, T40S, R24E**

Navajo Tribe

7. If Unit or CA, Agreement Designation

Aneth Unit

8. Well Name and No.

H207

9. API Well No.

4303716118

10. Field and Pool, or Exploratory Area

Desert Creek

11. County or Parish, State

San Juan County, UT

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other **Cleanout**

- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Texaco E. & P. Inc. has cleaned out the wellbore in the subject well. The following procedure was followed:

MIRUSU. TOOH w/ injection equipment. TIH w/ workstring. Cleaned out to PBTD @ 5985'. TOOH w/ workstring. TIH w/ TBG and packer. Hydro-tested TBG. Circulated chemical and set packer @ 5855'. Tested backside @ 1000#, held. RDMOL. TIH w/ injection equipment.

14. I hereby certify that the foregoing is true and correct

Signed

Title **Area Manager**

Date **9/12/94**

(This space for Federal or State office use)

Approved by
Conditions of approval, if any:

Title

Date

Tax credit
9/24/94

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

BLM-Farmington(5), UOGCC(3), Navajo Tribe(1), TAT, MGB, MAG


TRB



Texaco Exploration and Production Inc.

3300 N. Butler
Farmington NM 87401

43-037-16878
16118



March 20, 1995

State of Utah
Department of Natural Resources
Division of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Mr. Don Staley, Administrative Manager, Oil and Gas

Subject: Annual Status Report of Shut-In and Temporarily-abandoned Wells

Dear Mr. Staley,

Attached is a list of shut-in and temporarily-abandoned wells for Texaco E&P Inc., located in San Juan County, Utah. If you require any additional information, please contact me at (505) 325-4397.

Sincerely,

Ted A. Tipton
Area Manager


LNS/s

Attachment

Aneth Unit Annual Status Report

Date of Report: 3/22/95


Well Number	Well Status	Date of Last MIT	Comments	Proposed Action	BLM Approved Expiration Date
Injection Wells					
C112	Shut-In	9/92-Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	11/1/95
C124	Shut-In		Evaluate: Extended SI or Workover		
C223	Shut-In	5/1/92-Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	6/1/95
C411	Shut-In	9/21/92-Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	10/1/95
E317	Shut-In	10/21/92 - Failed	Evaluate: Repair Casing or P&A	BLM approved repair of Casing Leak	Approved
E319	Shut-In	9/17/93 - Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	10/1/95
F227	Shut-In	12/16/93 - Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	1/1/96
F229	Shut-In	10/18/92 - Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	10/8/95
H207	Shut-In	3/95 - Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	3/1/98
H410	Shut-In	8/22/91 - Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	10/1/97
Producing Wells					
A114	Shut-In	12/10/93-Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	1/1/97
A414	Shut-In	12/10/93-Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	1/1/97
B401	Shut-In	12/10/93-Pass	Evaluate: Extended SI or Workover	Submitted approval to BLM to SI	
B412	Shut-In	NO TEST	Evaluate: Extended SI or Workover		
C313SE	Shut-In	12/10/93-Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	1/1/97
D311	Shut-In	12/10/93-Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	1/1/97
D414	Shut-In	12/10/93-Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	1/1/97
H128	Shut-In	12/10/93-Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	1/1/97
J229	Shut-In	12/10/93-Pass	Extended SI for future benefit to unit	BLM (Farmington) approved SI	1/1/97



**ISMAY FLODINE PARK UNIT
ANNUAL STATUS REPORT**

DATE OF REPORT: 3/2/95

Well #	Type	Comments	Proposed Action	Action	BLM Approved Expiration Date
S216	OSI	SUBMITTED SUNDRY TO STATE OF UTAH FOR EXTENDED SHUT-IN, CASING LEAK	Call Gil Hunt with UOGCC to confirm approved	Approved 12/9/94	No requirement; will P&A
S221	OSI	REPAIRED CSG LEAK 1/12/94... STILL LEAK, REPAIR SUBMITTED AND APPROVED 2/94	Evaluate well (repair or P&A)	Sundry Extend SI	12/31/95
S222	OSI	EXTENDED SHUT-IN	Submit sundry for Extended Shut-In	Sundry 12/16/94	1/1/96
S234	OSI	EXTENDED SHUT-IN (DRY HOLE)	Submit sundry for Extended Shut-In	Sundry 8/24/94	8/1/95
S422	OSI	EXTENDED SHUT-IN, CASING LEAK	Submit sundry for Extended Shut-In	Sundry 9/94	4/1/95
T318	OSI	EXTENDED SHUT-IN	Submit sundry for Extended Shut-In	Sundry 12/16/94	1/1/96
U216	OSI	STUCK TBG, POSSIBLE COLLAPSED CASING, HAS APPROVED P&A IN WELL FILE 9/92	Submit proposed action to State of Utah, shut-in approval	P&A approved 1/26/95	No requirement; will P&A
U218	OSI	EXTENDED SHUT-IN	Submit sundry for Extended Shut-In	Sundry 12/16/94	1/1/96
U222	OSI	CASING LEAK, WELL HAS BEEN SHUT-IN SINCE, NO WORK TO DATE	Perform MIT, evaluate, submit proposed plan by 7/95	Sundry Extend SI	7/1/95
U417	OSI	EXTENDED SHUT-IN	Submit sundry for Extended Shut-In	Sundry 12/16/94	1/1/96
U418	OSI	EXTENDED SHUT-IN	Submit sundry for Extended Shut-In	Sundry 12/16/94	1/1/96
U427	OSI	CASING LEAK, WELL HAS BEEN SHUT-IN SINCE, NO WORK TO DATE	Perform MIT, evaluate, submit proposed plan by 7/95	Sundry Extend SI	7/1/95
V118	OSI	UNECONOMICAL TO PRODUCE	Evaluating well for possible Shut-In		
V318	OSI	EXTENDED SHUT-IN	Submit sundry for Extended Shut-In	Sundry 12/16/94	1/1/96
R124	WIWSI	UNECONOMICAL	Submit sundry for extended shut-in	Sundry 12/15/94	11/1/95
T117	WIWSI	UNECONOMICAL	Perform MIT, submit sundry for extended shut-in	Mit & Sundry	1/1/98
T118	WIWSI	UNECONOMICAL	Submit sundry for extended shut-in	Sundry 12/15/94	11/1/95
T119	WIWSI	UNECONOMICAL	Submit sundry for extended shut-in	Sundry 12/15/94	11/1/95
T317	WIWSI	UNECONOMICAL	Perform MIT, submit sundry for extended shut-in	Mit & Sundry	1/1/98
U421	WIWSI	UNECONOMICAL	Submit sundry for extended shut-in	Sundry 12/15/94	11/1/95
V117	WIWSI	UNECONOMICAL	Submit sundry for extended shut-in	Sundry 12/15/94	11/1/95
V121	WIWSI	UNECONOMICAL	Submit sundry for extended shut-in	Sundry 12/15/94	1/1/96
V321	WIWSI	UNECONOMICAL	Submit sundry for extended shut-in	Sundry 12/15/94	11/1/95
U121	WSSI	WATER WELL	Submit sundry for extended shut-in	Sundry 12/15/94	1/1/96
V219	WSSI	WATER WELL	Submit sundry for extended shut-in	Sundry 12/15/94	1/1/96
V220	WSSI	WATER WELL	Submit sundry for extended shut-in	Sundry 12/15/94	1/1/96
	Code	Definition			
	OSI	Oil Shut-In			
	WIWSI	Water Injection Well Shut-In			
	WSSI	Water Source Shut-In			





Chevron U.S.A. Production Company
Mid-Continent Business Unit
P.O. Box 36366
Houston, TX 77236
Phone 713 754 2000

April 9, 2002

Mr. John Baza,
Associate Director of Oil and Gas
Utah Department of Natural Resources
Division of Oil, Gas & Mining
1594 W. North Temple St., Suite 1210
Salt Lake City, UT 84114-5801

RECEIVED

APR 12 2002

DIVISION OF
OIL, GAS AND MINING

Dear Mr. Baza:

As you may recall from our meeting last year, we planned to combine the assets of Chevron U.S.A. Inc. ("CUSA"), by merger, and Texaco Exploration and Production Inc. ("TEPI"), by assignment, into a new entity which we referred to as "Newco LP". Along the way, additional information came to light and it was decided that this proposed corporate restructure would not be preferable. Therefore, CUSA and TEPI have continued to operate as separate entities.

We are now planning a simpler restructuring process where TEPI will assign most of its assets/operatorship to CUSA effective May 1, 2002. We plan to use the existing CUSA bonds/letters of credit, operator identification numbers, etc., for the TEPI assets that will be assigned.


A task force of Land, Regulatory and Environmental Compliance personnel are finishing the work that was begun last year to assign TEPI's assets—using the same forms and procedures as before. We have "new faces" in this task force due to reassignments and departures. In some cases, it may be worthwhile to visit you and your staff in person where new people are involved or if we need to review/clarify your forms and procedures. Otherwise, we will endeavor to complete the work to assign TEPI's assets/operatorship to CUSA and deliver the requisite materials to you in a timely manner.

During discussions last year, our focus was on Land, Regulatory and Environmental matters. The Finance organization also desires to join in this effort. For State Tax, Royalty and Regulatory reporting purposes (applicable to production from May 2002 through December 2002), we intend to generate two reports and two payments.

However, the reporting company name and identification number will be CUSA's. Beginning with January 2003 production and thereafter, we will issue only one CUSA report and payment. We trust this plan meets with your approval. Any questions or comments should be directed to Rick Dunlavy (telephone 713/752-7411, rickdunlavy@chevrontexaco.com).

We appreciate the cooperation and guidance you provided us in the past, and we look forward to bringing these efforts to a conclusion.

Respectfully submitted,

A handwritten signature in dark ink, appearing to read "Don R. Sellars". The signature is fluid and cursive, with the first name "Don" being prominent.

Don R. Sellars

Sr. Environmental Specialist


TRANSFER OF AUTHORITY TO INJECT

Well Name and Number Orangeville & Huntington, Emery County, Utah (See Attached Well List)		API Number
Location of Well Footage : See attached well locations County : Emery QQ, Section, Township, Range:		Field or Unit Name See Attached Well List Lease Designation and Number See Attached Well List
		State : UTAH

EFFECTIVE DATE OF TRANSFER: 5/1/2002


CURRENT OPERATOR

Company: Texaco Exploration and Production Inc
Address: 3300 North Butler, Suite 100
city Farmington state NM zip 87401
Phone: (505) 325-4397
Comments:


Name: Allen S. Robinson
Signature: 
Title: Attorney-In-Fact
Date: April 30, 2002

NEW OPERATOR

Company: Chevron U.S.A. Inc.
Address: P.O. Box 36366
city Houston state TX zip 79702
Phone: (915) 687-2000
Comments:

Name: J. Scott Purdy
Signature: 
Title: Attorney-In-Fact
Date: May 1, 2002

(This space for State use only)

Transfer approved by: 
Title: Field Services Manager

Approval Date: 10/21/02

Comments:

RECEIVED

MAY 06 2002

DIVISION OF
OIL, GAS AND MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL ☐ GAS WELL ☐ OTHER Operator Name Change

2. NAME OF OPERATOR:
Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR:
P.O. Box 1150 CITY Midland STATE TX ZIP 79702

PHONE NUMBER:
(915) 687-2000

4. LOCATION OF WELL

FOOTAGES AT SURFACE: See Attached List of Well Locations

COUNTY: San Juan

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____

STATE: UTAH

5. LEASE DESIGNATION AND SERIAL NUMBER:
See Attached List of Wells

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Navajo Nation & State of Utah

7. UNIT or CA AGREEMENT NAME:
Aneth Unit

8. WELL NAME and NUMBER:
See Attached List of Wells

9. API NUMBER: _____

10. FIELD AND POOL, OR WILDCAT: _____

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: <u>Operator Name</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	<u>Change (Merger)</u>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective May 1, 2002, Chevron U.S.A. Inc. is the new operator of the attached list of subject wells and leases that were previously operated by Texaco Exploration and Production Inc. The Aneth Unit and subject wells are located on both Navajo Nation and State of Utah lands, 4 1/2 miles North of Montezuma Creek, San Juan County, Utah. These wells will be protected by the following surety bonds.

STATE OF UTAH Bond #: 103521627-0016 in the amount of \$80,000. (This replaces United Pacific Insurance Company bond number U89-75-80-0059. We respectfully request this bond be released and returned.)

BLM Nationwide Bond #: U89-75-81-0034 in the amount of \$300,000.

BIA Nationwide Bond #: U89-75-81-0026 in the amount of \$150,000.

KEY CONTACTS:

Roger Atcity - Operations Supervisor - 435-651-3277 x103
Ron Wackowski - Operations Manager - 970-675-3714

RECEIVED


MAY 06 2002

DIVISION OF
OIL, GAS AND MINING

NAME (PLEASE PRINT) Allen S. Robinson

TITLE Attorney-In-Fact

SIGNATURE



DATE April 30, 2002

(This space for State use only)

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	11	400S	230E	4303716034	MESA 1 (ANETH C411)	1	I	WI
N5700	12	400S	230E	4303716272	BURTON 23-12 (ANETH B312)	1	A	WI
N5700	12	400S	230E	4303716274	BURTON 31-12 (ANETH C-112)	1	I	WI
N5700	12	400S	230E	4303716278	BURTON 42-12 (ANETH D212)	1	A	WI
N5700	12	400S	230E	4303730049	ANETH UNIT D-412	1	A	WI
N5700	12	400S	230E	4303730112	ANETH UNIT C-312	1	A	WI
N5700	13	400S	230E	4303715825	BURTON 22-13 (ANETH B-213)	1	A	WI
N5700	13	400S	230E	4303715827	BURTON 31-13 (ANETH C-113)	1	A	WI
N5700	13	400S	230E	4303715828	BURTON 33-13 (ANETH C-313)	1	A	WI
N5700	13	400S	230E	4303715830	BURTON 42-13 (D213)	1	A	WI
N5700	13	400S	230E	4303716279	BURTON 44-13 (ANETH D-413)	1	A	WI
N5700	13	400S	230E	4303730119	ANETH UNIT A-113	1	A	WI
N5700	13	400S	230E	4303730174	ANETH UNIT D113	1	A	WI
N5700	13	400S	230E	4303730297	ANETH B-413	1	A	WI
N5700	13	400S	230E	4303730299	ANETH UNIT A-313	1	A	WI
N5700	14	400S	230E	4303716032	ARROWHEAD 6 (ANETH B-114)	1	A	WI
N5700	14	400S	230E	4303716033	ARROWHEAD 3 (ANETH C-214)	1	A	WI
N5700	14	400S	230E	4303716035	ARROWHEAD 5 (ANETH C-414)	1	A	WI
N5700	14	400S	230E	4303716038	ARROWHEAD 4 (ANETH D-314)	1	A	WI
N5700	14	400S	230E	4303716273	ARROWHEAD 2 (ANETH B-314)	1	A	WI
N5700	14	400S	230E	4303716277	ARROWHEAD 1 (ANETH D-114)	1	A	WI
N5700	23	400S	230E	4303716271	A W RICE 2 (ANETH B-123)	1	A	WI
N5700	23	400S	230E	4303716276	A W RICE 3 (ANETH C-223)	1	A	WI
N5700	24	400S	230E	4303716270	FEDERAL A-1 (ANETH A-124)	1	A	WI
N5700	24	400S	230E	4303716275	FEDERAL 1 (ANETH C-124)	1	A	WI
N5700	07	400S	240E	4303715412	W ISMY FED 3 (ANETH E307)	1	A	WI
N5700	07	400S	240E	4303715415	W ISMAY FED 2 (ANETH F-407)	1	A	WI
N5700	07	400S	240E	4303716100	NAVAJO FED 6-1 (ANETH G-307)	1	A	WI
N5700	07	400S	240E	4303716118	NAVAJO FED 7-1 (ANETH H-207)	1	I	WI
N5700	07	400S	240E	4303716283	GULF-AZTEC FED 7 (ANETH E-207)	1	A	WI
N5700	07	400S	240E	4303716322	NAVAJO TRIBE FED 5-1 (ANETH H-407)	2	A	WI

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	07	400S	240E	4303730175	ANETH U E407	1	A	WI
N5700	08	400S	240E	4303716060	NAVAJO TRIBE E-15 (ANETH E-308)	2	A	WI
N5700	08	400S	240E	4303716076	NAVAJO FED 8-1 (ANETH F-208)	2	A	WI
N5700	08	400S	240E	4303716101	NAVAJO TRIBE L-6 (ANETH G-308)	2	A	WI
N5700	08	400S	240E	4303716119	NAVAJO TRIBE E-16 (ANETH H-208)	2	A	WI
N5700	08	400S	240E	4303716284	NAVAJO FED 9-1 (ANETH E-208)	2	A	WI
N5700	08	400S	240E	4303716298	NAVAJO TRIBE E-13 (ANETH F-408)	2	A	WI
N5700	08	400S	240E	4303716323	NAVAJO TRIBE L-3 (ANETH H-408)	2	A	WI
N5700	09	400S	240E	4303716061	NAVAJO TRIBE E-14 (ANETH E-309)	2	A	WI
N5700	09	400S	240E	4303716082	NAVAJO TRIBE E-4 (ANETH F-409)	2	A	WI
N5700	10	400S	240E	4303716125	NAVAJO TRIBE E-7 (ANETH H-410)	2	I	WI
N5700	11	400S	240E	4303715940	ANETH UNIT E-411	2	A	WI
N5700	11	400S	240E	4303715944	NAVAJO A-10/34-11 (ANETH G-411)	2	A	WI
N5700	11	400S	240E	4303716295	NAVAJO A-12/23-11 (ANETH F-311)	2	A	WI
N5700	13	400S	240E	4303715938	NAV TRIBE A-13 (ANETH E-213)	2	A	WI
N5700	13	400S	240E	4303715941	NAVAJO A-4 (ANETH E-413)	2	A	WI
N5700	14	400S	240E	4303715939	NAVAJO A-6 (ANETH E-214)	2	A	WI
N5700	14	400S	240E	4303715942	ANETH F-314	2	A	WI
N5700	14	400S	240E	4303715943	NAVAJO A-7/32-14 (ANETH G-214)	2	A	WI
N5700	14	400S	240E	4303715945	NAVAJO A-1/34-14 (ANETH G-414)	2	A	WI
N5700	14	400S	240E	4303716310	NAVAJO A-9/41-14 (ANETH H-114)	2	A	WI
N5700	14	400S	240E	4303716421	ANETH UNIT E414	2	A	WI
N5700	14	400S	240E	4303716422	ANETH UNIT F-114	2	A	WI
N5700	14	400S	240E	4303731381	ANETH UNIT H314X	2	I	WI
N5700	15	400S	240E	4303716116	ANETH G-415	2	A	WI
N5700	15	400S	240E	4303716296	NAVAJO TRIBAL E-8 (ANETH F-315)	2	A	WI
N5700	15	400S	240E	4303730213	ANETH E-315	2	A	WI
N5700	15	400S	240E	4303730312	ANETH H-315	2	A	WI
N5700	16	400S	240E	4303715832	STATE THREE 11-16 (ANETH E-116)	3	A	WI
N5700	16	400S	240E	4303716285	ST THREE 21-16 (ANETH F-116)	3	A	WI
N5700	16	400S	240E	4303716297	ST THREE 23-16 (ANETH F-316)	3	A	WI

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	16	400S	240E	4303716312	STATE THREE 42-16 (ANETH H-216)	3	A	WI
N5700	16	400S	240E	4303720230	ANETH H-416	3	A	WI
N5700	16	400S	240E	4303730094	ANETH E-316	3	A	WI
N5700	16	400S	240E	4303730107	ANETH G-316	3	A	WI
N5700	16	400S	240E	4303730333	ANETH F-416	3	A	WI
N5700	16	400S	240E	4303730344	ANETH G-116	3	A	WI
N5700	17	400S	240E	4303716049	ANETH UNIT E-117	2	A	WI
N5700	17	400S	240E	4303716062	NAVAJO TRIBAL G-7 (ANETH E317)	2	A	WI
N5700	17	400S	240E	4303716089	NAVAJO TRIBAL G-3 (ANETH G-117)	2	A	WI
N5700	17	400S	240E	4303716103	NAVAJO TRIBAL 1-X-G (ANETH G-317)	2	A	WI
N5700	17	400S	240E	4303716286	NAVAJO TRIBAL G-8 (ANETH F-217)	2	A	WI
N5700	17	400S	240E	4303716299	NAVAJO TRIBAL G-6 (ANETH F-417)	2	A	WI
N5700	17	400S	240E	4303716313	NAV TRIBAL L-4 (ANETH H-217)	2	A	WI
N5700	17	400S	240E	4303716326	NAVAJO TRIBAL L-1 (ANETH H-417)	2	A	WI
N5700	18	400S	240E	4303715083	NAVAJO TRIBAL FED U 3	2	A	WI
N5700	18	400S	240E	4303715413	ANETH U E-118 (W ISMY FED 1)	1	A	WI
N5700	18	400S	240E	4303716063	NAVAJO TRIBAL 4 (ANETH E-318)	1	A	WI
N5700	18	400S	240E	4303716090	NAVAJO TRIBE 2 (ANETH G-118)	2	A	WI
N5700	18	400S	240E	4303716104	NAVAJO TRIBE G-4 (ANETH G-318)	2	A	WI
N5700	18	400S	240E	4303716120	NAVAJO TRIBAL G-5 (ANETH H-218)	2	A	WI
N5700	18	400S	240E	4303716287	NAVAJO FED U 1 (ANETH F-218)	2	A	WI
N5700	18	400S	240E	4303716327	NAVAJO TRIBAL G-2 (ANETH H-418)	2	A	WI
N5700	18	400S	240E	4303730137	ANETH U E218	1	A	WI
N5700	18	400S	240E	4303730155	ANETH U F118	1	A	WI
N5700	19	400S	240E	4303716077	NAVAJO TRIBE D-26 (ANETH F-219)	2	A	WI
N5700	19	400S	240E	4303716091	NAVAJO TRIBE D-16 (ANETH G-119)	2	A	WI
N5700	19	400S	240E	4303716121	NAVAJO TRIBE D-3 (ANETH H-219)	2	A	WI
N5700	19	400S	240E	4303716280	NAVAJO FED U B-1 (ANETH E-119)	2	A	WI
N5700	19	400S	240E	4303716309	NAVAJO TRIBE D-25 (ANETH G-319)	2	A	WI
N5700	19	400S	240E	4303716328	NAVAJO TRIBE D-27 (ANETH H-419)	2	A	WI
N5700	20	400S	240E	4303716050	NAVAJO TRIBE D-10 (ANETH E-120)	2	A	WI

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	20	400S	240E	4303716065	NAVAJO TRIBE D-17 (ANETH E-320)	2	A	WI
N5700	20	400S	240E	4303716092	NAVAJO TRIBE L-5 (ANETH G-120)	2	A	WI
N5700	20	400S	240E	4303716105	NAVAJO TRIBE D-12 (ANETH G-320)	2	A	WI
N5700	20	400S	240E	4303716288	NAVAJO TRIBE D-8 (ANETH F-220)	2	A	WI
N5700	20	400S	240E	4303716300	NAVAJO TRIBE D-20 (ANETH F-420)	2	A	WI
N5700	20	400S	240E	4303716314	NAVAJO TRIBE L-2 (ANETH H-220)	2	A	WI
N5700	20	400S	240E	4303716329	NAVAJO TRIBE D-13 (ANETH H-420)	2	A	WI
N5700	21	400S	240E	4303716051	NAVAJO TRIBE D-4 (ANETH E-121)	2	A	WI
N5700	21	400S	240E	4303716066	NAVAJO TRIBE D-14 (ANETH E-321)	2	A	WI
N5700	21	400S	240E	4303716078	NAVAJO TRIBE D-6 (ANETH F-221)	2	A	WI
N5700	21	400S	240E	4303716084	NAVAJO TRIBE D-21 (ANETH F-421)	2	A	WI
N5700	21	400S	240E	4303716122	NAVAJO TRIBE D-7 (ANETH H-221)	2	A	WI
N5700	21	400S	240E	4303716330	NAVAJO TRIBE D-24 (ANETH H-421)	2	A	WI
N5700	21	400S	240E	4303730095	ANETH G-321X	2	A	WI
N5700	21	400S	240E	4303730335	ANETH G-121X	2	A	WI
N5700	22	400S	240E	4303716067	NAVAJO TRIBE D-19 (ANETH E-322)	2	A	WI
N5700	22	400S	240E	4303716085	NAVAJO TRIBE D-23 (ANETH F-422)	2	A	WI
N5700	22	400S	240E	4303716117	NAVAJO TRIBE D-2 (ANETH H-122)	2	A	WI
N5700	22	400S	240E	4303716127	NAVAJO TRIBE D-22 (ANETH H-422)	2	I	WI
N5700	22	400S	240E	4303720231	ANETH G-322X	2	A	WI
N5700	22	400S	240E	4303730215	ANETH E-122	2	A	WI
N5700	22	400S	240E	4303730242	ANETH H-222	2	A	WI
N5700	22	400S	240E	4303730373	ANETH F-222	2	A	WI
N5700	22	400S	240E	4303730425	ANETH G-122	2	A	WI
N5700	23	400S	240E	4303716068	NAVAJO TRIBE C-12 (ANETH E-323)	2	A	WI
N5700	23	400S	240E	4303716079	NAVAJO TRIBE C-7 (ANETH F-223)	2	A	WI
N5700	23	400S	240E	4303716086	NAVAJO TRIBE C-17 (ANETH F-423)	2	A	WI
N5700	23	400S	240E	4303716123	NAVAJO TRIBE C-8 (ANETH H-223)	2	A	WI
N5700	23	400S	240E	4303716128	NAVAJO TRIBE C-3 (ANETH H-423)	2	A	WI
N5700	23	400S	240E	4303716306	NAVAJO TRIBE C-1 (ANETH G-123)	2	A	WI
N5700	23	400S	240E	4303730235	ANETH F-123	2	A	WI

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	24	400S	240E	4303716069	NAVAJO TRIBE C-10 (ANETH E-324)	2	A	WI
N5700	24	400S	240E	4303716087	NAVAJO TRIBE C-13 (ANETH F-424)	2	A	WI
N5700	24	400S	240E	4303716111	NAVAJO TRIBE C-15 (ANETH G-324)	2	A	WI
N5700	24	400S	240E	4303716289	NAVAJO TRIBE C-16 (ANETH F-224)	2	A	WI
N5700	24	400S	240E	4303716331	NAVAJO TRIBE C-28 (ANETH H-424)	2	A	WI
N5700	25	400S	240E	4303716070	NAVAJO TRIBE C-21 (ANETH E-325)	2	A	WI
N5700	25	400S	240E	4303716080	NAVAJO TRIBE C-20 (F225)	2	A	WI
N5700	25	400S	240E	4303716095	ANETH UNIT G125	2	A	WI
N5700	25	400S	240E	4303716124	NAVAJO TRIBE C-11 (ANETH H-225)	2	A	WI
N5700	25	400S	240E	4303716129	NAVAJO TRIBE C-24 (ANETH H-425)	2	A	WI
N5700	25	400S	240E	4303716301	NAVAJO TRIBE C-32 (ANETH F-425)	2	A	WI
N5700	26	400S	240E	4303716054	NAVAJO TRIBE C-29 (ANETH E-126)	2	A	WI
N5700	26	400S	240E	4303716071	NAVAJO TRIBE C-30 (ANETH E-326)	2	A	WI
N5700	26	400S	240E	4303716113	NAVAJO TRIBE C-27 (ANETH G-326)	2	A	WI
N5700	26	400S	240E	4303716290	NAVAJO TRIBE C-23 (ANETH F-226)	2	A	WI
N5700	26	400S	240E	4303716302	NAVAJO TRIBE C-4 (ANETH F-426)	2	A	WI
N5700	26	400S	240E	4303716316	NAVAJO TRIBE C-19 (ANETH H-226)	2	A	WI
N5700	26	400S	240E	4303716332	NAVAJO TRIBE C-31 (ANETH H-426)	2	A	WI
N5700	26	400S	240E	4303730372	ANETH G-126X	2	A	WI
N5700	27	400S	240E	4303716223	ANETH 27-B2 (ANETH F-227)	2	I	WI
N5700	27	400S	240E	4303716307	ANETH 27-C-1 (ANETH G-127)	2	A	WI
N5700	27	400S	240E	4303716317	ANETH 27-D2 (ANETH H-227)	2	A	WI
N5700	27	400S	240E	4303716333	ANETH 27-D-4 (ANETH H-427)	2	A	WI
N5700	27	400S	240E	4303716782	ANETH 27-A-1 (ANETH E-127)	2	A	WI
N5700	28	400S	240E	4303716222	ANETH 28-A-1 (ANETH E-128)	2	A	WI
N5700	28	400S	240E	4303716224	ANETH 28-C-1 (ANETH G-128)	2	A	WI
N5700	28	400S	240E	4303716228	ANETH H-228	2	A	WI
N5700	29	400S	240E	4303716055	NAVAJO TRIBE S-2 (ANETH E-129)	2	A	WI
N5700	29	400S	240E	4303716097	NAVAJO TRIBE S-1 (ANETH G-129)	2	A	WI
N5700	29	400S	240E	4303716292	NAVAJO TRIBE S-4 (ANETH F-229)	2	I	WI
N5700	29	400S	240E	4303716318	NAVAJO TRIBE S-3 (ANETH H-229)	2	A	WI

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	34	400S	240E	4303716303	ANETH 34-B-4 (ANETH F-434)	2	A	WI
N5700	34	400S	240E	4303716319	ANETH 34-D2 (ANETH H-234)	2	I	WI
N5700	35	400S	240E	4303716293	NAVAJO TRIBE Q-5 (ANETH F-235)	2	A	WI
N5700	35	400S	240E	4303716304	NAVAJO TRIBE Q-8 (ANETH F-435)	2	A	WI
N5700	35	400S	240E	4303716320	NAVAJO TRIBE Q-4 (ANETH H-235)	2	A	WI
N5700	36	400S	240E	4303715485	NAVAJO 4 (ANETH E-136)	2	A	WI
N5700	36	400S	240E	4303715486	NAV TRB 2-A (G136)	2	A	WI
N5700	36	400S	240E	4303715487	NAVAJO 1 (ANETH H-236)	2	A	WI
N5700	36	400S	240E	4303716294	NAVAJO 3 (ANETH F-236)	2	A	WI
N5700	19	400S	250E	4303716140	ANETH UNIT L-419	2	A	WI
N5700	29	400S	250E	4303716131	NAVAJO TRIBE F-8 (ANETH J-129)	2	A	WI
N5700	30	400S	250E	4303716132	NAVAJO TRIBE F-9 (ANETH J-130)	2	A	WI
N5700	30	400S	250E	4303716134	NAVAJO TRIBE F-5 (ANETH J-330)	2	A	WI
N5700	30	400S	250E	4303716135	NAVAJO TRIBE F-2 (ANETH K-230)	2	A	WI
N5700	30	400S	250E	4303716137	NAVAJO TRIBE F-7 (ANETH K-430)	2	A	WI
N5700	30	400S	250E	4303716139	NAVAJO TRIBE F-6 (ANETH L-330)	2	A	WI
N5700	30	400S	250E	4303716141	NAVAJO TRIBE F-10 (ANETH M-230)	2	A	WI
N5700	30	400S	250E	4303716337	NAVAJO TRIBE F-11 (ANETH M-430)	2	A	WI
N5700	31	400S	250E	4303715946	NAVAJO TRIBE C11-31 (J131)	2	A	WI
N5700	31	400S	250E	4303716335	NAVAJO TRIBE C-22-31 (ANETH K-231)	2	A	WI

**THE
NAVAJO
NATION****MINERALS DEPARTMENT**

Post Office Box 1910

Window Rock, Arizona 86515

Phone: (928) 871-6587 • Fax: (928) 871-7095

KELSEY A. BEGAYE
PRESIDENT**TAYLOR McKENZIE, M.D.**
VICE PRESIDENT

October 11, 2002

Mr. Don Sellars
Regulatory Specialist
ChevronTexaco
11111 S. Wilcrest
Houston, Texas 77099

Subject: Navajo Nation Assignment of Oil & Gas Lease

Dear Mr. Sellars:

Attached are fourteen (14) approved Navajo Nation Assignment of Oil and Gas Lease applications for assignment of interest from Texaco Exploration & Production, Inc. to Chevron U.S.A., Inc. (Chevron) for the following leases:

- | | | |
|---------------------|---------------------|----------------------|
| 1) I-149-IND-8834 | 6) I-149-IND-8839 | 11) 14-20-603-4035 |
| 2) I-149-IND-8835 | 7) 14-20-603-2057 | 12) 14-20-603-4037 |
| 3) I-149-IND-8836 | 8) 14-20-603-2059 | 13) 14-20-603-5043-A |
| 4) I-149-IND-8838 | 9) 14-20-603-4030-A | 14) 14-20-603-5446 |
| 5) I-149-IND-8839-A | 10) 14-20-603-4032 | |

If you have any questions, please call me or Mr. Brad Nesemeier at (928) 871-6587.

Sincerely,

Akhtar Zaman, Director
Minerals Department

Attachments
AZ/GLB/cab

OPERATOR CHANGE WORKSHEET**ROUTING**

1. GLH

2. CDW

3. FILE

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change

X **Merger**The operator of the well(s) listed below has changed, effective: **05-01-2002**

FROM: (Old Operator):	TO: (New Operator):
TEXACO EXPLORATION & PRODUCTION INC	CHEVRON USA INC
Address: 3300 NORTH BUTLER, STE 100	Address: P O BOX 36366
FARMINGTON, NM 87401	HOUSTON,TX 79702
Phone: 1-(505)-325-4397	Phone: 1-(915)-687-2000
Account No. N5700	Account No. N0210

CA No.**Unit:** **ANETH****WELL(S)**

NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
ARROWHEAD 1 (ANETH D-114)	14-40S-23E	43-037-16277	99990	FEDERAL	WIW	A
A W RICE 2 (ANETH B-123)	23-40S-23E	43-037-16271	99990	FEDERAL	WIW	A
A W RICE 3 (ANETH C-223)	23-40S-23E	43-037-16276	99990	FEDERAL	WIW	A
FEDERAL A-1 (ANETH A-124)	24-40S-23E	43-037-16270	99990	FEDERAL	WIW	A
FEDERAL 1 (ANETH C-124)	24-40S-23E	43-037-16275	99990	FEDERAL	WIW	A
W ISMY FED 3 (ANETH E307)	07-40S-24E	43-037-15412	99990	FEDERAL	WIW	A
W ISMY FED 2 (ANETH F-407)	07-40S-24E	43-037-15415	99990	FEDERAL	WIW	A
NAVAJO FED 6-1 (ANETH G-307)	07-40S-24E	43-037-16100	99990	FEDERAL	WIW	A
NAVAJO FED 7-1 (ANETH H-207)	07-40S-24E	43-037-16118	99990	FEDERAL	WIW	I
GULF-AZTEC FED 7 (ANETH E-207)	07-40S-24E	43-037-16283	99990	FEDERAL	WIW	A
ANETH U E407	07-40S-24E	43-037-30175	7000	FEDERAL	WIW	A
NAVAJO TRIBAL 4 (ANETH E-318)	18-40S-24E	43-037-16063	99990	FEDERAL	WIW	A
ANETH U E218	18-40S-24E	43-037-30137	7000	FEDERAL	WIW	A
ANETH U F118	18-40S-24E	43-037-30155	7000	FEDERAL	WIW	A
ANETH U E-118 (W ISMY FED 1)	18-40S-24E	43-037-15413	99990	FEDERAL	WIW	A

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-2-10) Sundry or legal documentation was received from the **FORMER** operator on: 05/06/2002
2. (R649-2-10) Sundry or legal documentation was received from the **NEW** operator on: 04/12/2002
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 10/16/2002
4. Is the new operator registered in the State of Utah: YES Business Number: 564408-0143
5. If **NO**, the operator was contacted on: N/A

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 10/11/2002

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 10/11/2002

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 10/21/2002

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 11/14/2002

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 11/14/2002

3. Bond information entered in RBDMS on: N/A

4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: N/A

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 8975810026

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: N/A

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number N/A

2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS: Chevron USA Inc merged with Texaco Exploration & Production Inc to form ChevronTexaco Inc although all the Utah operations will be operated by Chevron USA Inc.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Injection wells</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: <u>See Attachment</u>
2. NAME OF OPERATOR: <u>Resolute Natural Resources Company</u> <u>N2700</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <u>Navajo</u>
3. ADDRESS OF OPERATOR: <u>1675 Broadway, Suite 1950</u> CITY <u>Denver</u> STATE <u>CO</u> ZIP <u>80202</u> PHONE NUMBER: <u>(303) 534-4600</u>		7. UNIT or CA AGREEMENT NAME: <u>Aneth Unit</u>
4. LOCATION OF WELL FOOTAGES AT SURFACE: <u>See Attachment</u>		8. WELL NAME and NUMBER: <u>See Attachment</u>
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: <u>See Attachment</u>		9. API NUMBER: <u>See Attach</u>
		10. FIELD AND POOL, OR WILDCAT: <u>Desert Creek</u>
		COUNTY: <u>San Juan</u>
		STATE: <u>UTAH</u>

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of Operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of December 1, 2004, Chevron U.S.A. Inc. resigned as Operator of the Aneth Unit. The successor operator is Resolute Natural Resources Company.

NAME (PLEASE PRINT) <u>Jane Pasque</u>	TITLE <u>Vice President</u>
SIGNATURE <u>Jane Pasque</u>	DATE <u>11/30/04</u>

(This space for State use only)

APPROVED 12/29/2004
ER
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>See attached exhibit.</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: <u>See attached exhibit.</u>
2. NAME OF OPERATOR: <u>Resolute Natural Resources Company</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <u>Navajo</u>
3. ADDRESS OF OPERATOR: <u>1675 Broadway, Suite 1950</u> CITY <u>Denver</u> STATE <u>CO</u> ZIP <u>80202</u>		7. UNIT or CA AGREEMENT NAME: <u>Aneth Unit</u>
4. LOCATION OF WELL FOOTAGES AT SURFACE: _____ COUNTY: <u>San Juan</u> QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____ STATE: <u>UTAH</u>		8. WELL NAME and NUMBER: <u>See attached exhibit.</u>
		9. API NUMBER: <u>See attached exhibit.</u>
		10. FIELD AND POOL, OR WILDCAT: <u>Aneth</u>

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of December 1, 2004, Chevron U.S.A. Inc. resigned as operator of the Aneth Unit. Resolute Natural Resources Company has been elected the successor operator.

RECEIVED

DEC 22 2004

DIV. OF OIL, GAS & MINING

NAME (PLEASE PRINT) <u>Chevron U.S.A. Inc.</u> <u>N0210</u>	TITLE <u>A. E. Wacker, Attorney-in-Fact</u>
SIGNATURE <u>A. E. Wacker</u>	DATE <u>12/20/2004</u>

(This space for State use only)

APPROVED 12/29/2004

ER
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

UIC FORM 5

Well Name and Number See attached exhibit.	API Number See attached exhibit.
Location of Well	Field or Unit Name Aneth Unit
Footage : [REDACTED]	County : San Juan
QQ, Section, Township, Range: [REDACTED]	State : UTAH
	Lease Designation and Number See attached exhibit.

CURRENT OPERATOR

N0210

Name: A. E. Wacker
Signature: A. E. Wacker
Title: Attorney-in-Fact
Date: 12/20/2004

~~RECEIVED~~

DEC 22 2004

NEW OPERATOR

N2700

DIV. OF OIL, GAS & MINING

Name: Janet Pogue xt
Signature: Janet Pogue
Title: Vice President
Date: 12/21/04

(This space for State use only)

Transfer approved by: [Signature]

Approval Date: 12/1/17

Title: VIC Geology.

Title: VIC Geologist.

Comments: Transfer of Authority to Inject into the Aneth C214 and Aneth B14 contingent on this office receiving a corrective action plan for each well. Both well Aneth 214 failed 5 year test on 10/13/2004 operator would not conduct scheduled 5 year test on Aneth B14. (considered a failure).

NUM	API NUM	Q1	Q2	SEC	TWSP	RNG	LEGAL	Lease	Status 12/1/04	NNEPA Well List	USEPA Well List	UIC Program
H222	4303730242	SE	NW	22	40S	24E		I-149-IND-8836	Active	H222	H222	Navajo Nation
F418	4303715083	SE	SW	18	T40S	R24E	650' FSL/1825' FWL	I-149-IND-8835	Active	F418	F418	Navajo Nation
E307	4303715412	NW	SW	7	T40S	R24E	1980' FSL/660' FWL	SL-067807	Active	E307	E307	Navajo Nation
E118	4303715413	NW	NW	18	T40S	R24E	660' FNL/660' FWL	SL-067807	Active	E118	E118	Navajo Nation
F407	4303715415	SE	SW	7	T40S	R24E	660' FSL/1980' FWL	SL-067807	Active	F407	F407	Navajo Nation
E136	4303715485	NW	NW	36	T40S	R24E	660' FNL/660' FWL	14-20-603-5444	Active	E136	E136	Navajo Nation
G136	4303715486	NW	NE	36	T40S	R24E	785' FNL/2040' FEL	14-20-603-5443	Active	G136	G136	Navajo Nation
H236	4303715487	SE	NE	36	T40S	R24E	1980' FNL/660' FEL	14-20-603-5443	P/A			Navajo Nation
B213	4303715825	SE	NW	13	T40S	R23E	3300' FSL/3300' FEL	SL-070968-A	Active			State of Utah
C113	4303715827	NW	NE	13	T40S	R23E	4602' FSL/1993' FEL	SL-070968-A	Active			State of Utah
C313	4303715828	NW	SE	13	T40S	R23E	1949' FSL/1991' FEL	SL-070968-A	Active			State of Utah
D213	4303715830	SE	NE	13	T40S	R23E	3263' FSL/660' FEL	SL-070968-A	Active			State of Utah
E116	4303715832	NW	NW	16	T40S	R24E	601' FNL/550' FWL	ML-3156	Active	E116	E116	Navajo Nation
E213	4303715938	SW	NW	13	T40S	R24E	2140' FNL/740' FWL	I-IND-149-8837	Active	E213	E213	Navajo Nation
E214	4303715939	SW	NW	14	T40S	R24E	1940' FNL/650' FWL	I-149-IND-8837	Active	E214	E214	Navajo Nation
E411	4303715940	SW	SW	11	T40S	R24E	500' FSL/820' FWL	I-149-IND-8837	Active	E411	E411	Navajo Nation
E413	4303715941	SW	SW	13	T40S	R24E	660' FSL/660' FWL	IND-149-8837	Active	E413	E413	Navajo Nation
F314	4303715942	NE	SW	14	T40S	R24E	1980' FSL/1980'FWL	I-149-IND-8837	Active	F314	F314	Navajo Nation
G214	4303715943	SW	NE	14	T40S	R24E	2140' FNL/2010' FEL	I-149-IND-8839	P/A			Navajo Nation
G411	4303715944	SW	SE	11	T40S	R24E	680' FSL/1950' FEL	I-149-IND-8837	Active	G411	G411	Navajo Nation
G414	4303715945	SW	SE	14	T40S	R24E	660' FSL/1980' FEL	I-149-IND-8837	Active	G414	G414	Navajo Nation
J131	4303715946	NW	NW	31	T40S	R25E	660' FNL/638' FWL	14-20-603-372	Active	J131	J131	Navajo Nation
B114	4303716032	NE	NW	14	T40S	R23E	660' FNL/1980' FWL	SL-070968	Shut-In			State of Utah
C214	4303716033	SW	NE	14	T40S	R23E	1890' FNL/1930' FEL	SL-070968	Shut-In			State of Utah
C411	4303716034	SW	SE	11	T40S	R23E	600' FSL/2010' FEL	SL-070968-B	P/A			State of Utah
C414	4303716035	SW	SE	14	T40S	R23E	760' FSL/2000' FEL	SL-070968	Active			State of Utah
D314	4303716038	NE	SE	14	T40S	R23E	1980' FSL/660' FEL	SL-070968	Active			State of Utah
E117	4303716049	NW	NW	17	T40S	R24E	520' FNL/645' FWL	I-149-IND-8835	Active	E117	E117	Navajo Nation
E120	4303716050	NW	NW	20	T40S	R24E	660' FNL/660' FWL	I-149-IND-8836	Active	E120	E120	Navajo Nation
E121	4303716051	NW	NW	21	T40S	R24E	660' FNL/760' FWL	I-149-IND-8836	Active	E121	E121	Navajo Nation
E126	4303716054	NW	NW	26	T40S	R24E	760' FNL/660' FWL	I-149-IND-8838	Active	E126	E126	Navajo Nation
E129	4303716055	NW	NW	29	T40S	R24E	660' FNL/660' FWL	14-20-603-4030	Active	E129	E129	Navajo Nation
E308	4303716060	NW	SW	8	T40S	R24E	1820' FSL/645' FWL	I-149-IND-8833	Active	E308	E308	Navajo Nation
E309	4303716061	NW	SW	9	T40S	R24E	1900' FSL/500' FWL	I-149-IND-8834	P/A			Navajo Nation
E317	4303716062	NW	SW	17	40S	24E	1980' FSL/660' FWL	I-149-IND-8835	Active	E317	E317	Navajo Nation
E318	4303716063	NW	SW	18	T40S	R24E	1980' FSL/660' FWL	SL-067807	Active	E318	E318	Navajo Nation
E319	4303716064	NW	SW	19	T40S	R24E	2040' FSL/680' FWL	I-149-IND-8836	P/A			Navajo Nation
E320	4303716065	NW	SW	20	T40S	R24E	2140' FSL/820' FWL	I-149-IND-8836	Active	E320	E320	Navajo Nation
E321	4303716066	NW	SW	21	T40S	R24E	2140' FSL/720' FWL	I-149-IND-8836	Active	E321	E321	Navajo Nation
E322	4303716067	NW	SW	22	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8836	Active	E322	E322	Navajo Nation
E323	4303716068	NW	SW	23	T40S	R24E	1980' FSL/510' FWL	I-149-IND-8838	Active	E323	E323	Navajo Nation
E324	4303716069	NW	SW	24	T40S	R24E	1980' FSL/660'FWL	I-149-IND-8838	Active	E324	E324	Navajo Nation
E325	4303716070	NW	SW	25	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8838	Active	E325	E325	Navajo Nation
E326	4303716071	NW	SW	26	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8838	Active	E326	E326	Navajo Nation
F115	4303716074	NE	NW	15	T40S	R24E	690' FNL/2140' FWL	I-149-IND-8834	Active	F115	F115	Navajo Nation

F208	4303716076	SE	NW	8	T40S	R24E	2140' FNL/2050' FWL	I-149-IND-8833	Active	F208	F208	Navajo Nation
F219	4303716077	SE	NW	19	T40S	R24E	1820' FNL/2140' FWL	I-149-IND-8836	Active	F219	F219	Navajo Nation
F221	4303716078	SE	NW	21	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8836	Active	F221	F221	Navajo Nation
F223	4303716079	SE	NW	23	T40S	R24E	1980' FNL/1820' FWL	I-149-IND-8838	Active	F223	F223	Navajo Nation
F225	4303716080	SE	NW	25	T40S	R24E	2040' FNL/2080' FWL	I-149-IND-8838	Active	F225	F225	Navajo Nation
F409	4303716082	SE	SW	9	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8834	Active	F409	F409	Navajo Nation
F421	4303716084	SE	SW	21	T40S	R24E	585' FSL/1990' FWL	I-149-IND-8836	Active	F421	F421	Navajo Nation
F422	4303716085	SE	SW	22	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8836	Active	F422	F422	Navajo Nation
F423	4303716086	SE	SW	23	T40S	R24E	770' FSL/1955' FWL	I-149-IND-8838	Active	F423	F423	Navajo Nation
F424	4303716087	SE	SW	24	T40S	R24E	660' FSL/2100' FWL	I-149-IND-8838	Active	F424	F424	Navajo Nation
G117	4303716089	NW	NE	17	T40S	R24E	660' FNL/1980' FEL	I-149-IND-8835	Active	G117	G117	Navajo Nation
G118	4303716090	NW	NE	18	T40S	R24E	800' FNL/1910' FEL	I-149-IND-8835	Active	G118	G118	Navajo Nation
G119	4303716091	NW	NE	19	T40S	R24E	660' FNL/2140' FEL	I-149-IND-8836	Active	G119	G119	Navajo Nation
G120	4303716092	NW	NE	20	T40S	R24E	660' FNL/1980' FEL	I-149-IND-8833	Active	G120	G120	Navajo Nation
G125	4303716095	NW	NE	25	T40S	R24E	660' FNL/2140' FEL	I-149-IND-8838	Active	G125	G125	Navajo Nation
G129	4303716097	NW	NE	29	T40S	R24E	580' FNL/1905' FEL	14-20-603-4030	Active	G129	G129	Navajo Nation
G307	4303716100	NW	SE	7	T40S	R24E	1900' FSL/1995' FEL	SL-067807	Active	G307	G307	Navajo Nation
G308	4303716101	NW	SE	8	T40S	R24E	1975' FSL/1830' FEL	I-149-IND-8834	Active	G308	G308	Navajo Nation
G317	4303716103	NW	SE	17	T40S	R24E	1778' FSL/1900' FEL	I-149-IND-8835	Active	G317	G317	Navajo Nation
G318	4303716104	NW	SE	18	T40S	R24E	2125' FSL/1980' FEL	I-149-IND-8835	Active	G318	G318	Navajo Nation
G320	4303716105	NW	SE	20	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8836	Active	G320	G320	Navajo Nation
G324	4303716111	NW	SE	24	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8838	Active	G324	G324	Navajo Nation
G326	4303716113	NW	SE	26	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8838	Active	G326	G326	Navajo Nation
G415	4303716116	SW	SE	15	T40S	R24E	820' FSL/2400' FEL	I-149-IND-8834	Active	G415	G415	Navajo Nation
H122	4303716117	NE	NE	22	T40S	R24E	660' FNL/660' FEL	I-149-IND-8836	Active	H122	H122	Navajo Nation
H207	4303716118	SE	NE	7	T40S	R24E	1820' FNL/820' FEL	SL-067807	T/A			State of Utah
H208	4303716119	SE	NE	8	T40S	R24E	2140' FNL/660' FEL	I-149-IND-8833	Active	H208	H208	Navajo Nation
H218	4303716120	SE	NE	18	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8835	Active	H218	H218	Navajo Nation
H219	4303716121	SE	NE	19	T40S	R24E	1945' FNL/607' FEL	I-149-IND-8836	Active	H219	H219	Navajo Nation
H221	4303716122	SE	NE	21	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8836	Active	H221	H221	Navajo Nation
H223	4303716123	SE	NE	23	T40S	R24E	1820' FNL/730' FEL	I-149-IND-8838	Active	H223	H223	Navajo Nation
H225	4303716124	SE	NE	25	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8838	Active	H225	H225	Navajo Nation
H410	4303716125	SE	SE	10	T40S	R24E	625' FSL/545' FEL	I-149-IND-8834	P/A			Navajo Nation
H422	4303716127	SE	SE	22	T40S	R24E	^660' FSL/660' FEL	I-149-IND-8836	P/A			Navajo Nation
H423	4303716128	SE	SE	23	T40S	R24E	820' FSL/450' FEL	I-149-IND-8838	Active	H423	H423	Navajo Nation
H425	4303716129	SE	SE	25	T40S	R24E	660' FSL/660' FEL	I-149-IND-8838	Active	H425	H425	Navajo Nation
J129	4303716131	NW	NW	29	T40S	R25E	620' FNL/615' FWL	I-149-IND-8839	P/A			Navajo Nation
J130	4303716132	NW	NW	30	T40S	R25E	720' FNL/590' FEL	I-149-IND-8839	Shut-In	J130	J130	Navajo Nation
J330	4303716134	NW	SW	30	T40S	R25E	2060' FSL/800' FWL	I-149-IND-8839	Active	J330	J330	Navajo Nation
K230	4303716135	SE	NW	30	T40S	R25E	2075' FSL/2140' FWL	I-149-IND-8839	Shut-In	K230	K230	Navajo Nation
K430	4303716137	SE	SW	30	T40S	R25E	660' FSL/1980' FWL	I-149-IND-8839	Active	K430	K430	Navajo Nation
L330	4303716139	NW	SE	30	T40S	R25E	2120' FSL/1960' FEL	I-149-IND-8839	Active	L330	L330	Navajo Nation
L419	4303716140	SW	SE	19	T40S	R25E	660' FSL/1980' FEL	I-149-IND-8839	Active	L419	L419	Navajo Nation
M230	4303716141	SE	NE	30	T40S	R25E	1930' FNL/660' FEL	I-149-IND-8839	Active	M230	M230	Navajo Nation
E128	4303716222	NW	NW	28	T40S	R24E	660' FNL/660' FWL	14-20-603-2056	Active	E128	E128	Navajo Nation
F227	4303716223	SE	NW	27	T40S	R24E	1980' FNL/1980' FWL	14-20-603-2056	T/A			Navajo Nation
G128	4303716224	NW	NE	28	T40S	R24E	660' FNL/1980' FEL	14-20-603-2056	Shut-In	G128	G128	Navajo Nation

H228	4303716228	SE	NE	28	T40S	R24E	2080' FNL/560' FEL	14-20-603-2056	T/A			Navajo Nation
A124	4303716270	NW	NW	24	T40S	R23E	500' FNL/500'FWL	SL-0701010-C	Active			State of Utah
B123	4303716271	NE	NW	23	T40S	R23E	500' FNL/2140' FWL	SL-0701010	Active			State of Utah
B312	4303716272	NE	SW	12	T40S	R23E	3295' FNL/3348' FEL	SL-070968-A	Active	B312	B312	Navajo Nation
B314	4303716273	NE	SW	14	T40S	R23E	2030' FSL/2030' FWL	SL-070968	Active			State of Utah
C112	4303716274	NW	NE	12	T40S	R23E	658' FNL/1974' FEL	SL-070968-A	P/A			State of Utah
C124	4303716275	NW	NE	24	T40S	R23E	660' FNL/1980' FEL	SL-0701010-C	P/A			State of Utah
C223	4303716276	SW	NE	23	T40S	R23E	1820' FNL/1980' FEL	SL-0701010	P/A			State of Utah
D114	4303716277	NE	NE	14	T40S	R23E	660' FNL/760' FEL	SL-070968	Active			State of Utah
D212	4303716278	SE	NE	12	T40S	R23E	1860' FNL/656' FEL	SL-070968-A	Shut-In	D212	D212	Navajo Nation
D413	4303716279	SE	SE	13	T40S	R23E	660' FSL/661' FEL	SL-070968-A	Active			State of Utah
E119	4303716280	NW	NW	19	T40S	R24E	500' FNL/820' FWL	I-149-IND-8836	Active	E119	E119	Navajo Nation
E207	4303716283	SW	NW	7	T40S	R24E	2030' FNL 750 FWL		T/A	E207	E207	
E208	4303716284	SW	NW	8	T40S	R24E	1930' FNL/500' FWL	I-149-IND-8833	T/A			Navajo Nation
F116	4303716285	NE	NW	16	T40S	R24E	660' FNL/1980' FWL	ML-3156	Active	F116	F116	Navajo Nation
F217	4303716286	SE	NW	17	T40S	R24E	1890' FNL/1930' FWL	I-149-IND-8835	Active	F217	F217	Navajo Nation
F218	4303716287	SE	NW	18	T40S	R24E	1970' FNL/2060' FWL	I-149-IND-8835	Active	F218	F218	Navajo Nation
F220	4303716288	SE	NW	20	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8836	Active	F220	F220	Navajo Nation
F224	4303716289	SE	NW	24	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8838	Active	F224	F224	Navajo Nation
F226	4303716290	SE	NW	26	T40S	R24E	1950' FNL/1900' FWL	I-149-IND-8838	Active	F226	F226	Navajo Nation
F229	4303716292	SE	NW	29	T40S	R24E	2015' FNL/1930' FWL	14-20-603-4030	P/A	F229	F229	Navajo Nation
F235	4303716293	SE	NW	35	T40S	R24E	1825' FNL/2010' FWL	14-20-603-2059	Active	F235	F235	Navajo Nation
F236	4303716294	SE	NW	36	T40S	R24E	1980' FNL/1980' FWL	14-20-603-5444	Active	F236	F236	Navajo Nation
F311	4303716295	NE	SW	11	T40S	R24E	1820' FSL/1980'FWL	I-149-IND-8837	P/A			Navajo Nation
F315	4303716296	NE	SW	15	T40S	R24E	1980' FSL/2010' FWL	I-149-IND-8834	Active	F315	F315	Navajo Nation
F316	4303716297	NE	SW	16	T40S	R24E	2260' FSL/2140' FWL	ML-3156	Active	F316	F316	Navajo Nation
F408	4303716298	SE	SW	8	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8833	Active	F408	F408	Navajo Nation
F417	4303716299	SE	SW	17	T40S	R24E	500' FSL/2140' FWL	I-149-IND-8835	Active	F417	F417	Navajo Nation
F420	4303716300	SE	SW	20	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8836	Active	F420	F420	Navajo Nation
F425	4303716301	SE	SW	25	T40S	R24E	795' FSL/1960' FWL	I-149-IND-8838	Active	F425	F425	Navajo Nation
F426	4303716302	SE	SW	26	T40S	R24E	632' FSL/1867' FWL	I-149-IND-8838	P/A			Navajo Nation
F434	4303716303	SE	SW	34	T40S	R24E	815' FSL/1860' FWL	14-20-603-2056	P/A			Navajo Nation
F435	4303716304	SE	SW	35	T40S	R24E	820' FSL/1930' FWL	14-20-603-2059	T/A			Navajo Nation
G123	4303716306	NW	NE	23	T40S	R24E	660' FNL/1530' FEL	I-149-IND-8838	Active	G123	G123	Navajo Nation
G127	4303716307	NW	NE	27	T40S	R24E	660' FNL/1980' FEL	14-20-603-2056	Active	G127	G127	Navajo Nation
G319	4303716309	NW	SE	19	T40S	R24E	1920' FSL/2060' FEL	I-149-IND-8836	Active	G319	G319	Navajo Nation
H216	4303716312	SE	NE	16	T40S	R24E	3331' FSL/703' FEL	ML-3156	Active	H216	H216	Navajo Nation
H217	4303716313	SE	NE	17	T40S	R24E	2070' FNL/820' FEL	I-149-IND-8833	Active	H217	H217	Navajo Nation
H220	4303716314	SE	NE	20	T40S	R24E	2025' FNL/560' FEL	I-149-IND-8833	Active	H220	H220	Navajo Nation
H226	4303716316	SE	NE	26	T40S	R24E	1980' FNL/780' FEL	I-149-IND-8838	Active	H226	H226	Navajo Nation
H227	4303716317	SE	NE	27	T40S	R24E	1980' FNL/630' FEL	14-20-603-2056	Active	H227	H227	Navajo Nation
H229	4303716318	SE	NE	29	T40S	R24E	1820' FNL/660' FEL	14-20-603-4030	Shut-In	H229	H229	Navajo Nation
H234	4303716319	SE	NE	34	T40S	R24E	1980' FNL/660' FEL	14-20-603-2056	Active	H234	H234	Navajo Nation
H235	4303716320	SE	NE	35	T40S	R24E	2000' FNL/770' FEL	14-20-603-2059	Active	H235	H235	Navajo Nation
H407	4303716322	SE	SE	7	T40S	R24E	645' FSL/500' FEL	I-149-IND-8835	Active	H407	H407	Navajo Nation
H408	4303716323	SE	SE	8	T40S	R24E	500' FSL/530' FEL	I-149-IND-8834	Active	H408	H408	Navajo Nation
H417	4303716326	SE	SE	17	T40S	R24E	500' FSL/690' FEL	I-149-IND-8833	Active	H417	H417	Navajo Nation

H418	4303716327	SE	SE	18	T40S	R24E	660' FSL/660' FEL	I-149-IND-8835	Active	H418	H418	Navajo Nation
H419	4303716328	SE	SE	19	T40S	R24E	570' FSL/450' FEL	I-149-IND-8836	P/A			Navajo Nation
H420	4303716329	SE	SE	20	T40S	R24E	660' FSL/660' FEL	I-149-IND-8836	Active	H420	H420	Navajo Nation
H421	4303716330	SE	SE	21	T40S	R24E	500' FSL/750' FEL	I-149-IND-8836	Active	H421	H421	Navajo Nation
H424	4303716331	SE	SE	24	T40S	R24E	820' FSL/610' FEL	I-149-IND-8838	Active	H424	H424	Navajo Nation
H426	4303716332	SE	SE	26	T40S	R24E	710' FSL/510' FEL	I-149-IND-8838	Active	H426	H426	Navajo Nation
H427	4303716333	SE	SE	27	T40S	R24E	660' FSL/660' FEL	14-20-603-2056	Active	H427	H427	Navajo Nation
K231	4303716335	SE	NW	31	T40S	R25E	2014' FNL/2054' FWL	14-20-603-372A	Active	K231	K231	Navajo Nation
M430	4303716337	SE	SE	30	T40S	R25E	670' FSL/790' FEL	I-149-IND-8839	Active	M430	M430	Navajo Nation
E414	4303716421	SW	SW	14	T40S	R24E	750' FSL/620' FWL	I-149-IND-8837	Active	E414	E414	Navajo Nation
F114	4303716422	NE	NW	14	40S	24E	720' FNL/1870' FWL	I-149-IND-8839	Active	F114	F114	Navajo Nation
E127	4303716782	NW	NW	27	T40S	R24E	660' FNL/660' FWL	14-20-603-2056	P/A			Navajo Nation
H416	4303720230	SE	SE	16	T40S	R24E	150' FSL/660' FEL	ML-3156	Active	H416	H416	Navajo Nation
G322X	4303720231	NW	SE	22	T40S	R24E	1550' FSL/1720' FEL	I-149-IND-8836	Active	G322X	G322X	Navajo Nation
D412	4303730049	SE	SE	12	T40S	R23E	500' FSL/150' FEL	SL-070968-A	Active	D412	D412	Navajo Nation
E316	4303730094	NW	SW	16	T40S	R24E	2190' FSL/128' FWL	ML-3156	Active	E316	E316	Navajo Nation
G321X	4303730095	NW	SE	21	T40S	R24E	1900' FSL/1755' FEL	I-149-IND-8836	Shut-In	G321X	G321X	Navajo Nation
G316	4303730107	NW	SE	16	T40S	R24E	2320' FSL/1745' FEL	ML-3156	Active	G316	G316	Navajo Nation
C312	4303730112	NW	SE	12	T40S	R23E	1610' FSL/1800' FEL	SL-070968-A	Active	C312	C312	Navajo Nation
A113	4303730119	NW	NW	13	T40S	R23E	700' FNL/650' FWL	SL-070968-A	Active			State of Utah
E218	4303730137	SW	NW	18	T40S	R24E	1860' FNL/660' FWL	SL-067807	Active	E218	E218	Navajo Nation
F118	4303730155	NE	NW	18	T40S	R24E	619' FNL/2184' FWL	SL-067807	Active	F118	F118	Navajo Nation
D113	4303730174	NE	NE	13	T40S	R23E	578' FNL/619' FEL	SL-070968-A	Active			State of Utah
E407	4303730175	SW	SW	7	T40S	R24E	618' FSL/577' FWL	SL-067807	Active	E407	E407	Navajo Nation
E315	4303730213	NW	SW	15	T40S	R24E	2212' FSL/591' FWL	I-149-IND-8834	Active	E315	E315	Navajo Nation
E122	4303730215	NW	NW	22	T40S	R24E	528' FNL/660' FWL	I-149-IND-8836	Active	E122	E122	Navajo Nation
F123	4303730235	NE	NW	23	T40S	R24E	660' FNL/2046' FWL	I-149-IND-8838	Shut-In	F123	F123	Navajo Nation
B413	4303730297	SE	SW	13	T40S	R23E	660' FSL/1980' FWL	SL-070968-A	Active			State of Utah
A313	4303730299	NW	SW	13	T40S	R23E	1840' FSL/470' FWL	SL-070968-A	Active			State of Utah
H315	4303730312	NE	SE	15	T40S	R24E	1980' FSL/660' FEL	I-149-IND-8834	Active	H315	H315	Navajo Nation
F416	4303730333	SE	SW	16	T40S	R24E	1000' FSL/1980' FWL	ML-3156	Active	F416	F416	Navajo Nation
G121X	4303730335	NW	NE	21	T40S	R24E	790' FNL/1780' FEL	I-149-IND-8836	Active	G121X	G121X	Navajo Nation
G116	4303730344	NW	NE	16	T40S	R24E	660' FNL/1980' FEL	ML-3156	Active	G116	G116	Navajo Nation
G126X	4303730372	NW	NE	26	T40S	R24E	860' FNL/1780' FEL	I-149-IND-8838	Active	G126X	G126X	Navajo Nation
F222	4303730373	SE	NW	22	T40S	R24E	1920' FNL/1980' FWL	I-149-IND-8836	Active	F222	F222	Navajo Nation
G122	4303730425	NW	NE	22	T40S	R24E	570' FNL/1960' FEL	I-149-IND-8836	Active	G122	G122	Navajo Nation
H314X	4303731381	NE	SE	14	T40S	R24E	1950' FSL/570' FEL	I-149-IND-8837	Active	H314X	H314X	Navajo Nation

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH

2. CDW

3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:

This CA on:

12/1/2004

FROM: (Old Operator):

N0210-Chevron USA, Inc.

PO Box 4791

Houston, TX 77210-4791

Phone: 1-(713) 752-7431

TO: (New Operator):

N2700-Resolute Natural Resources Company

1675 Broadway, Suite 1950

Denver, CO 80202

Phone: 1-(303) 534-4600

CA No.

Unit:

ANETH

WELL(S)

NAME	SEC TWN RNG			API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
MESA 1 (ANETH C411)	11	400S	230E	4303716034	99990	Federal	WI	I
BURTON 23-12 (ANETH B312)	12	400S	230E	4303716272	99990	Federal	WI	A
BURTON 31-12 (ANETH C-112)	12	400S	230E	4303716274	99990	Federal	WI	I
BURTON 22-13 (ANETH B-213)	13	400S	230E	4303715825	99990	Federal	WI	A
BURTON 31-13 (ANETH C-113)	13	400S	230E	4303715827	99990	Federal	WI	A
BURTON 33-13 (ANETH C-313)	13	400S	230E	4303715828	99990	Federal	WI	A
BURTON 42-13 (D213)	13	400S	230E	4303715830	7000	Federal	WI	A
ARROWHEAD 6 (ANETH B-114)	14	400S	230E	4303716032	99990	Federal	WI	A
ARROWHEAD 3 (ANETH C-214)	14	400S	230E	4303716033	99990	Federal	WI	A
ARROWHEAD 5 (ANETH C-414)	14	400S	230E	4303716035	99990	Federal	WI	A
ARROWHEAD 4 (ANETH D-314)	14	400S	230E	4303716038	99990	Federal	WI	A
ARROWHEAD 2 (ANETH B-314)	14	400S	230E	4303716273	99990	Federal	WI	A
A W RICE 2 (ANETH B-123)	23	400S	230E	4303716271	99990	Federal	WI	A
A W RICE 3 (ANETH C-223)	23	400S	230E	4303716276	99990	Federal	WI	A
FEDERAL A-1 (ANETH A-124)	24	400S	230E	4303716270	99990	Federal	WI	A
FEDERAL 1 (ANETH C-124)	24	400S	230E	4303716275	99990	Federal	WI	A
W ISMY FED 3 (ANETH E307)	07	400S	240E	4303715412	99990	Federal	WI	A
W ISMY FED 2 (ANETH F-407)	07	400S	240E	4303715415	99990	Federal	WI	A
NAVAJO FED 6-1 (ANETH G-307)	07	400S	240E	4303716100	99990	Federal	WI	A
NAVAJO FED 7-1 (ANETH H-207)	07	400S	240E	4303716118	99990	Federal	WI	I
ANETH U E-118 (W ISMY FED 1)	18	400S	240E	4303715413	99990	Federal	WI	A
NAVAJO TRIBAL 4 (ANETH E-318)	18	400S	240E	4303716063	99990	Federal	WI	A

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12/22/20042. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 12/13/20043. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 11/22/20044. Is the new operator registered in the State of Utah: YES Business Number: 5733505-01435. If **NO**, the operator was contacted on:

6a. (R649-9-2) Waste Management Plan has been received on: _____ requested

6b. Inspections of LA PA state/fee well sites complete on: 12/20/2004

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA not yet

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: not yet

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 12/29/2004
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 12/29/2004
3. Bond information entered in RBDMS on: n/a
4. Fee/State wells attached to bond in RBDMS on: n/a
5. Injection Projects to new operator in RBDMS on: separate list
6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: B001263

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: B001264

FEE & STATE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number B001262
2. The **FORMER** operator has requested a release of liability from their bond on: not yet
The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

COMMENTS: